

Wm Wolder

A booke of the

properties of Herbes called an her
ball, wherunto is added the time &
herbes, Floures and Seides shold
be gathered to be kept the whole
yere, with the vertue of y^e Here
bes when they are killed. All

so a general rule of al ma-
ner of Herbes drawn
out of an auncient
booke of Physick
by W.C.

X²



**De virtutibus herbarum. Et
primo de littera. A.**

Agnus castus.



Agnes herbe Agnus cast
that men do call Tui
layne, and otherwys
Darke leues, this hath
leues somdel red lyk
vnto the leues of Orage, and thys
herbe hath senowes on hys leues
as hath Plantayne, & it hath ye
lowe flowers and bereth black
beris and it groweth in dry wodes
þe vertu of this herbe is, it wil kepe
men and women chaste. For as Di
colidion and Placens do say, this
herbe is called Agnus castus for
the knowledge and the vse of thys
herbe maketh men chaste, and thys
herbe will open the pores of man
and let out wycked humours and
sprytes of his body. thys herbe de
stroyeth

destroyeth the moyſture of mannes ſe-
de. Alſo the ſame auctor ſayth that
yf this be ſodē with Fenel, in Alſel
it is good to deſtroy y^e dropſy. Alſo
if this herbe be ſodē with ſmalage
and Sage, in ſalt water, and after
warde the hynder parte of a man-
nes hed be well waſhed therewith
it heleth it and vnbyndeth an euyl
that is called Lyncargy. Alſo thys
herbe deſtroyeth the foule luſte of
Lechery and it be dronken, or yf it
be bozne about hym, therfore ſome-
tyme they do eate it roſted, bycauſe
it ſhall kepe them chaſt, for if this
herbe be eaten rawe, it wil engēder
head ache. Thys herbe is good to
deſie the hardnes and ſtoppyng of
the Myle. Alſo a playſter of this
herbe is good to do awaye ache of
a mannes heed, that is engendred
of wycked humours. Thys herbe
is hote & drye in the ſeconde degre.

¶ Apium.

A. ii.

**De virtutibus herbarum. Et
primo de littera. A.**

Agnus castus.



Agnes herbe Agnus cast
that men do call Tui
layne, and otherwys
Darke leues, this hath
leues somdel red lyk
vnto the leues of Orage, and thys
herbe hath senowes on hys leues
as hath Plantayne, & it hath ye
lowe flowers and bereth black
beris and it groweth in dry wodes
þ vertu of this herbe is, it wil kepe
men and women chaste. For as Di
colidion and Placens do say, this
herbe is called Agnus castus for
the knowledg and the vse of thys
herbe maketh men chaste, and thys
herbe will open the pores of man
and let out wycked humours and
sprytes of his body. thys herbe de-
stroyeth

stroketh the moyſture of mannes ſe-
de. Alſo the ſame auctor ſayth that
yf this be ſodē with Fenel, in Aſel
it is good to deſtroy y^e dropſy. Alſo
if this herbe be ſodē with ſmalage
and Sage, in ſalt water, and after
warde the hynder parte of a man-
nes hed be well waſhed therewith
it heleth it and vnbpyndeth an euill
that is called Lyrargy. Alſo thys
herbe deſtroyeth the foule luſte of
Lechery and it be dronken, oz yf it
be borne about hym, therfore ſome-
tyme they do eat it roſted, bycauſe
it ſhall kepe them chaſt, for if this
herbe be eaten rawe, it wil engēder
head ache. Thys herbe is good to
deſie the hardnes and ſtoppyng of
the Myle. Alſo a playſter of this
herbe is good to do awaye ache of
a mannes heed, that is engendred
of wycked humours. Thys herbe
is hote & drye in the ſeconde Degre.

Apium.

A.ii.

This herbe Apium, is a herbe that
me do cal Smalage, or stamarche
the vertue of this herbe is this. It
wyl make a man to pylle, & open
the stopping of the lyuer, also the
side of the herbe hardneth a man-
nes wombes, and it draweth wy-
ked humours of a mannes bodye
vnto the head & to y^e stomake and
the wombe, and therefore it noyeth
them that haue the falling euyl, &
to women that be wyth chylde, for
whan it draweth suche humours
to the wombe and engendzeth that
be the cause of perillence, and there-
fore it is commaunded of leches that
women that be wyth chylde & they
that kepe suckyng children shulde
not eat nor drinke of this herbe for
nyed of y^e falling euyl, for it is hote
and drye, and there be species therof,
y^e tope is good for colde playsters
tempered with flower, and for scal-
ding, this herbe is hote in y^e.i. Degre
Anctum

Anetum.

— This herbe Anetum that men
do call Anete otherwysse Dyl, this
herbe hath leues lyke to Fenel but
the seide is somdel brode as Ozaige
seide is, the vertue of this herbe is
thus. It wil make a man pisse, al-
so it swageth rumblinge in a man-
nes wombe, and wycked wyndes
at the wombe, also it distroyeth the
bering, the seide of this herbe bzent
and layde vpon a wounde it healeth
soone & namely if a mā be scalded
in hys membres or on his yarde,
strove the powder thereof & it shall
hele, or what maner of euill that cri-
seth in a mannes yarde it shall be
hole in the same maner, a plaister
made with the same powder, & the
peg talow and blacke sope, is good
for y^e Emeraude this herbe is hote
and dry in the seconde degre.

Apiume risus.

This herbe Apiume risus is cal-
led

A.iii.

led Cerfey or Cherulle, the vertue
of this herbe is and it be dronken
wyth wyne it shall make a man to
passe well and it deliuereth a man
of ache in the reyne & in the blad-
der, and it be dronken with wine it
letteth out and vnbundyeth the wic-
ked wyndes and vnstoppeth the
wombe and the lyuer of all maner
woodnes. This herbe with holdeth
castyng. Also a plaister made with
this herbe tempered with Miel des
froyeth wyldc fyre and heleth the
Canker, and al other woundes, this
herbe is one of the Smalarches, &
it is hore and dry.

Abspanthium.

¶ This herbe is called Worme-
mode. The vertue of this herbe is.
It is good to comforte the herte &
cleareth the stomake. Galien sayeth
that the herbe hath .ii. vertues one
is laxative, and the other is costy-
pulative. Therfore Galien sayeth
that

hat if this herbe be gotten to an
ul, the which the matter is not
ully defyed, it shall harde the sto-
make, and let the degestion, and if
he matter be tyed, it shal make a
nan laxative, and esly put away
he matter, if this herbe be dronke
with Spyconarde, it swageth the
tomake and of the wombe that is
ngendred of wycked wyndes. Also
f this herbe be tepered with hony
t wyll ease the swelling in a man
es mouth. Also it doeth awaye
the blacke mycke in a mannes eyes
and clereth the syghte, and yf this
erbe be powned with the gal of a
Bull and afterwarde putte into a
nannes eyes, it putteith awaye al
naner impedimentes of the sighte.

Arthamefia.

R This herbe is called Mug-
worre, the vertue of this herbe is
this. If a mā bere this herbe about
ym he shall not be wey of traue-
lyng

lynge in his way, also if this herbe be powdered with talawe, it healeth the sores of a manes fete and a kynge also. And if it be within a house, there shall no wycked spyte abyde. Also if this herbe be stamped and tempered wth running water it healeth the a kynge of a mannes guttes & many other euylles, this herbe is hote and dry in the seconde degree.

Affodyllus,

This herbe is called Affodyl, The vertue of this herbe is that þe leues ben good to hele the droply, and the leues of þe flowers be good to be drunken to hele venim of wycked bestes, also þe ioyce of this herbe and Myre, and Saffron tempered togyther in whyte wyne and a lytel boyled ouer the fyre and clenfed thorough a cloth, is good to hele running eyes, also the roe of this herbe wth to powder, is good to

to heale soze eares and restoze the
agayne, also take an harde cloth þ
is rough and wete it in the ioyce
of the herbe, and rubbe the moꝝ
phew therwith sytynge againste
the soone and it shall do awaye the
moꝝphew, this herbe is hote and
drye in the seconde degre.

Aristologia longa.

This herbe men do call it Red-
mader, the vertue of this herbe is
thus. It wyll vnbrynne the stop-
pyng of the lyuer & iet passe wyco-
ked wyndes that be stopped with
in mannes body, also if it be dron-
ken with wine it clenseth and pur-
geth al men of al maner of venim
that is in a mannes body. Also it
clenseth and purgeth all maner of
dyscaies that be roted within and
wythout in the vayne, and in the
teeth, that ben rotten. This herbe
is hote and drye, and it muste be
gathered in herulste, there be two
species

species therof.

Aristológia rotunda.

This herbe aristologia rotunda men do cal it Galingale meke, the vertue of this herbe is thus as Apocras doth saye, yf the sayde her be dronken wpth hote water than it is medecynable and curable for those men that be stopped in the breast, and for the swellynge euyl, and for the Podagar, and for the Crampe, thys herbe is hote & drye and it must be gathered in harvest and it is a spece of the reed Madder.

Abrotanum.

This herbe abrotanum mē cal it Sathernwode. The vertue of this herbe is thus, yf they breake the sede and drynke it wpth water it healeth hume that haue ben bytten wth any venemous beaste. Also thys herbe destroyeth wozmes in a mannes bowe, also pouder of thys herbe

her be medled wyth barley mele un-
bryndeth and breketh harde postu-
mes, also this herbe bzent and the
asches medled wyth oyle, it restor-
eth ther as man lacketh here, this
herbe is hote and drye.

✠ Ameos.


✠ Thys herbe Ameos hath leues
lyke unto Elden, but they be lesse
and the seede is lyke persey seede, the
vertu of this herbe is thus, if it be
tempered with honye it sleeth wor-
mes that be in a manes bodye, and
it unbryndeth the greete stoppyng
of woundes, and it breketh the stone,
and it chafeth a mannes stomake
that is colde, it chafeth the lycer &
the raynes, and it heleth woundes
and the bytyng of venemous bea-
stes, this herbe is hote and drye.

✠ Alleluya.

Thys herbe Alleluya men call
it wodfore or subworre, this herbe
hath thre leues of the whiche two
be roynd

be rounde a lytle departed aboue,
and it hath a whyte flower, but it
hath no longe stalkes, & it is wyne-
soze, and it is lyke.iii. leued grasse
the vertue of this herbe is thus, If
it be rosted in the ashes in, Reed
docke leues, or in reed worste leues,
it freteth awaye deade fleshe of a
wounde, this herbe groweth mu-
che in woodes.

Asterion.

 This herbe Asterion groweth
amonge stones and in hyghe pla-
ces, this herbe sheweth by nyght,
thys herbe hath yelowre flowers
hole and rounde as a kockebel, or
els lyke to foregloues, the leues
of this herbe be round, and blewre,
& they haue the marke of the mone
in the myddest, as it were.iii. leued
grasse, but þ leues therof be moze
and they be rounde as a peny, and
the stalke of this herbe is reed and
this herbe smeth as it wer muske
and

and the soyce therof is yelow. And
this herbe groweth in the newe
moone without lefe and every day
spryngeth a new lefe to the ende of
xv. Dayes, and after xv. Dayes it lo-
seth every day a lefe as the moone
waneth, and it spryngeth and wa-
nerh as doth the moone, and where
it groweth there groweth great
quātite. The vertue of this herbe
is thus, they that eate of the berryes
or of the herbe in wanyng of the
moone when he is in sygne virgie-
nes, yf he haue the falling euyl he
shalbe hole therof, or if he bere this
herbe boutte his necke he shalbe hol-
pen without doubt, and it hath ma-
ny other good vertues.

¶ Agrimonia.

¶ This herbe Agrimonia me cal-
leth Agrimonye. The vertue of this
herbe is thus, if it be eate the herbe
and the roote grene, it healeth the
snyng of the wombe. Also of the
herbe

herbe be dzyed and pouined to pou-
der, & drōke with water it is good
for the same euyl, also the sayde
herbe tēpered with Aysell is good
to hel a wounde that is hurt with
yron, also this herbe bled in metes
is good to hele the skynge of sores
in the mylte & it is good for Treys-
les.

Auencia.

This auencia is called Auen,
the vertue of this herbe is thus yf
it be dzyed and powder made ther-
of wpth wyte wyne warmed or els
like warme water & gyne it to the
that hath the feuers, & it shal helpe
him much and ease hym, also it he-
leth woundes and Cankers yf it be
dzyen.

Altea.

This herbe is called holy hots-
ke or the pyldre malowe, the ver-
tue of this herbe is thus, take and
stampe it & sepe it with shepes ra-
lowe

lowe and make a plaister and laye
it to a podagar man, & it shal helpe
hym wythin thze dayes by expery-
mente all auctours do saye and af-
fyrme that thys herbe soden wyth
Vineger and Linsede, and a play-
ster made therof & layde to the side
of any person, it departed and hel-
peth wycked gatherynge that be
engendred in a mannes body, thys
herbe groweth in gardens & moist
places.

Camassia.

Thys herbe is called Dogge
fenel, or Maiche, this herbe is mu-
che lyke to Camamyle for it hathe
a white flower as Camamyle, but
it sinketh, the vertue of this herbe
is good to drynke the toyce throt
for to hele the Canker and the py-
pes of the Emraudes, and there
be .ii. species therof, the one hathe a
white floure, & the other hathe a ye-
lowe flower, & it groweth in corne.

Arricula

¶ Auricula muris.

This herbe is called Mousere
The vertue of this herbe is, yf it
be dronken it helpeth the Quinsy,
also the ioyce is good to hele al ma-
ner of woundes.

¶ Apium Emoroidarum.

This herbe is called crowfote
this herbe hath leues departed as
it were Rammes fete, this herbe
hath a long stalke in the myddes, &
groweth in watery places, & hath
yelow flowers.

¶ Apium ranarum.

This herbe Apium ranarum
that men cal water crowfote, this
herbe hath yelow flowers as hath
crowefot and of the same shape,
but the leues are more departed, &
it hath a long stalke, and out of
that one stalke groweth many stal-
kes small by the sydes, this herbe
groweth in watery places.

¶ Triplex domestica.

This

Thys herbe Atriplex domestica,
men call it Orage, or medolious.

Anabulla.

Thys herbe Anabulla men call
Spourge.

Acus Demonis

Thys herbe Acus Demonis is
an herbe that men call Poukenel.

Argentilla,

This herbe Argentilla that me
tal Argentyl, this herbe hath litle
leues somdele rounde, and wythin
they be ragged, as it were y leues
of Eufrazy, and it growith moche
amonge whete, and ther be .ii. spe
ces therof, the moze and the lesse.

Acus mustela.

Thys herbe Acus mustela is
called Groundswelye, it is good
for playsters.

Allium.

Thys herbe Allium is called
Garlike, the vertue of thys herbe
is this. It wil vnbinde all wicked

B.i. wyndes

wyndes within a mannes bodye,
and it helpeth a man to make wa-
ter, but it nopeth a mannes eyes,
because of the great byndyng and
drynkynge, he that hath voluptu-
ous it drynketh and destroyeth the
syght, and it destroyeth and heleth
venim within a mā. Also it heleth
all colde sores as it were tryacle.
Also it heleth the scabbes and mor-
phewes or bladders in what man-
ner place they be in a mānes body.
so that it be wel froted therwith,
this herbe is hote and dry.

Anisum.

This herbe is called anise, the
vertue of this herbe is this, it byn-
deth the stoppyng of the tyuer,
and of wicked wyndes, & of great
humours and encloseth the milke,
also it stereth a man to make wa-
ter & to sweete, also this herbe ma-
keth a mannes wombe laxaieue if
it be to hard and the sede muste be
parched

parched or rosted in all maner me-
decynes, that it wyll worke the ra-
ther, this herbe is hote and dry.

20. *Incipit littera. B. Et primo
de Bethonia.*

Beryn men do call this
herbe, & vertue of this
herbe is this, yf it be
stamped and than layd
to a wounde in the head

that is smitten with a stroke it shall
heale the wound fayre, and drawe
out the brake bones: if ther be any
as leches do say, also yf a mannes
eyes do ake, take the water or the
loyre therof, & it shall amende them
greatlye. Take Betin and stampe
hym and temper hym woth water
or with wyne warmed and drynke
it. x. dayes and it shall destroye any
webbe in the eyes of any persone.

Also yf your eyes be waterye, cate
euery day a lytell betayne, and it

B.ii.

shall

shal do the much good, also if you
haue akyng eares, take the ioyce
therof & temper it with rose water,
and warme it a lytle and droppe it
in thy eares and stoppe them wyth
wolle, and thou shalt be hole. Also
yf thou do blede much at the nose,
take and stampe Betune with salte
and stoppe thy nose ther wyth and
it wyll staunche. And if thou haue
soze teethe, wyth wyneger oz wyth
Alyfel let it seethe well tyl it be more
than halfe wasted, than as hote as
thou mayst suffer it suppe therof, and
hold it in thy mouth tyl it be cold,
than spyte, it out and do thus ofte
and thou shalt be hole. Also for the
cough take the ioyce oz powder of
Betune and medyl it with hony, &
make therof a lectuary, and vse it.
ix. dayes and thou shalt be hole.
And if a man maye not holde hys
meat within him take the same me
Decyne and geue him. iiii. spones ful
therof

therof with a sponesfull of water.
Also yf a mannes yerde be swollen
oz that it be soze, take Betayne and
stampe it with white wyne tempe-
red and it shalbe hole. Also if a man
be Bodagat, take Betayne, & sethe
it well in water and gyue to hym
to drynke and washe hys fete ther-
with and lay the herbe aboute hys
fete on a clothe, and it wyl amend
hym much. Also take and eate Be-
tayne oz pouder therof, & you shal
nat be dronken that daye, all these
medicines haue ben proued of thys
herbe. It is hote an drye.

Balsaminta.

Thys herbe Balsaminta cal-
led horse mynte oz water wyne oz
pokemynte, and also thys herbe
othgrowe in waterye places, the
uertue of this herbe is to cōforte a
manes stomake and maketh a man
wel to desie hys meat. Also yoyce
and clarifed honye, & Red wyne

B.iii.

boyled

boyled together, & it shall do away
the cold fro a manes stomake and
wycked wyndes within hym, also
the ioyce or els the powder of the
herbe Drunken wyth Redde wyne
hote, maketh women that be with
chylde soone and easely to be deliue
red of their children, this herbe is
hote and dry.

Bleta.

This herbe Bleta is called Be
tes, and there be. ii. species therof
as Diascorides sayeth, the one is
whyte and the other blacke, & the
ue of this herbe is this yf yoyce
therof be put in the nostrilles of
a man it clenseth a mannes heade,
Also it swageth the akynge of the
eyes of euery person, it clenseth the
heade from nyctes & fro other ver
myne. Also it repayreth and ameu
reth a mannes heare of his heade
also this herbe destroyeth botches &
bils, also Diascorides sayeth, yf a
man

man vse ouer muche of this herbe
for it annoynteth wycked humours
in a man for it is hote.

Bozago.

Bozago is a comon herbe, the
vertue of it is thus. It will cleane
the reed colour of a man. Also this
herbe is good to destroye the Car-
diacle, and the postumes that be
gathered of the blacke colour. Al-
so the water dronke with wine ma-
keth a man glad and merye, thys
herbe is hote and moyste.

Bugla.

This herbe Bugla is called
Brounwort, this herbe hath leues
lyke a browne colour with a blew
flower, and somewhat boistous, the
vertue of this herbe is thus. It
wyl heale woundes in a mannes
head, and if thys herbe be dronken
it healeth & strengthneth the bones
that be broken in a mannes heade
thys herbe breketh and destroyeth

B.iii.

the

the reume and the skynge of the
hed, this herbe groweth in woodes
much and it is hote and drye.

Burneta.

This herbe Burneta is called
burnet, the herbe hath blew flowers
as hath the Hayboue, and smale
ragged leues lyke Tansye leues, &
vertu of this herbe is thus. It wil
destrope the greate humours and
lacatue within a man, Also it ope-
neth the stoppyng within a man-
nes lyuer, & maketh a man to pisse
wel. Also it maketh one to auoyde
the yeloweyl. Also a porcion of
this herbe medled wth honye and
whyte wyne helpeth & vnbryndeth
soze styches of the rybbes & in the
fetes, there be .ii. species therof, the
one groweth on hylls and y other
in medowes.

Bursa pastoris.

This herbe Bursa pastoris, is
called sheperdes purs, this herbe
hath

hath a smal stalke and ful of braun-
ches and ragged leues & a whyte
flower, the coddess therof be lyke a
purse, the vertue of this herbe is
thus, Drynke it wyth reed wyne, or
with mylke and it wyl stanche &
blody menson, it is hote and drye.

Bozago siluestris.

This herbe Bozago siluestris
is lyke to comen bozage, but the le-
ues be somewhat smaller and it gro-
weth in feldees and in wayes.

Billire.

This is called byller, The ver-
tue therof is good to rype botches
and it is hote and drye.

Camomilla.

Thys herbe is called Camomyl
the vertue of thys herbe is thus yf
it be Droke with wine it wyl breke
the stone, and it destroyeth the ye-
lowe euill. It helpeth the akyng
and the disease of the lyuer, yf it be

B. v.

Starved

strapped it helpeth & swageth the
sores in a mānes mouth, it is good
for a kynge in a mannes head and
for the megrim, this herbe is hot
and dry.

Calamintum.

This herbe is called Calamint
the vertue of this herbe is thus, it
destroreth a mānes talent, as ppo-
cras saith, the be. iii. spees ther
of, one that is stoupe, another that
is of the erth, and the. iii. of the wa-
ter and all they be hote and dry, it
that is water maketh a mā moist
it that is stony maketh a man hol-
p if ye drynke it, if he haue dronke
any venemous drynke, this herbe
made in a playster & lay it to a ve-
nemes wounde it draweth out the
nym soone. Also who so drynket
this herbe. iii. dayes, it shall help
hym of the yelowe euell. The o-
ther is earthly it is helping for le-
per, the ioyce of this herbe and

be put into the eares of a man it wil
kille wormes in a mannes head and
comforteth the stomake, and hel-
peth to digest it, & it wythdraweth
callyng.

Crassula maior.

This herbe is muche lyke vnto
Oxeye, the vertue of this herbe is
thus, if it be layde to a wounde be
it selfe it shall heale it without any
other helpe.

Crassula minor.

This herbe is called stonchoze
or Stonetroppe, the leues of this
herbe be somewhat lyke vnto Oxeye
and it groweth on houses and wal-
les, the vertue of this herbe is thus
it wyl make a man to cast.

Cicuta.

This herbe is called Hemlocke
or herbe Benet, the vertue of this
herbe is thus, the ioyce of this her-
be kepeth maydes tetes smal, also
this

thys herbe ofte dronke kepeth an
destroynth the great appetyte of le
cherie. Also the ioyce temper
wth Swynes grece, destroynth
the hote Podagre, and swage th
great swellinge, for it is colde and
drye.

Centaurea maior.

Thys is named the moze Cen
toz of earth galle, his flowers be
yelowe in the crappe, his vertue is
yf it be sodden in good wyne it wil
hele the sykenes in the liuer, it dra
weth out wycked humours in the
mylke, thys hath ben proued, and it
be soden in water it is good to hele
a wounde, yf there be a cauer & it
be anoynted ther wth it wil make
it hole, thys herbe is hote and drye.

Centaurea minor.

Thys herbe is the lesse Cento
z, it hath iii. braunches comynge
out of a rounde moze wth a reed
floure

flower. His vertue is this, the powder or ioyce therof is good, for biting of an adder or any venemous beaste yf it be broken with wyne and the ioyce is good to annoynte sores therewith yf ye haue any venym within you, powne it small & temper it wyth Aysell and drynke it and you shall cast out al the venym within you.

Caruo.

This herbe is called Caraway thys herbe hath leues some what lyke to fenell with a longe stalk, and a round seede more than petty seede. The vertue of this herbe is to destroye wycked wyndes and the cough and it is good for the freysye, and for bytyng of venemous beastes. Also thys herbe medled is good for scabbes, and Tetteres. Also it restozeth heare there as it is fallen away, this herbe groweth in moyste places.

Celido.

Celidonia.

This herbe is called Celond
or Tetterwort, his vertue is as p
linus sayeth yf the byrdes of th
swallowe be blynde, the damme o
the byrdes fetcheth of this herbe
healeth their eyes therewith, it is
good for y caker in a mans mouth
it is good for the toth ache & to cl
se a manes head, this herbe is hot
and dry.

Culamen.

This is called Hertnote. Dyl
note, Skypete or holywort: he hath
leues lyke Fenell with whyte flo
wers and a male stalket groweth
in wodes and medowes, hys ver
tue is to eate away dead fleshe: this
herbe put to a soze that lacketh
heate, it wyl restore the heate and
heale the place.

Colewortes.

This herbe is good to close fre
the woundes, the canker, to noy the
synowes & to heale soze eyes that
be

4
be almost syghteles, it encreseth a
womans mylke the ioyce sepered
with Alym and Asell, it swagerh
the Lepet, and it is good to kepe a
man fro dronkenes it is hote & dry.

Coliandrum.

This herbe is called Colpan-
dum the vertue of this herbe is
this, if the ioyce therof be dronken
with hony it wyl slee woormes in a
nannes body, and hardeth a man
les wombe, the seede is good to do
awaye the feuers that come thze
layes, this herbe is hote and dry.

Capillus veneris.

This herbe is called mayden here
or waterwort. This herbe hath le-
ues lyke vnto ferns, but þ leues be
maller, & it groweth on walles &
stones & in þ middes of þ lefe is as
it were black here, þ vertue of this
herbe is this it wil breke þ stone, &
it be drōkē with wyne it distropeith
penym and it is colde and dry.

Crocus

Crocus.

This herbe is called **Saffron**, the vertue of this herbe is thus, it wil destroy all maner of abhominacions of mannes stomake, and wyll make a mā to slepe, it is good for many medecynes, and namelly for cokes to colour their meat therewith, it groweth in gardens, and it is hote and drye.

Centinodium.

This herbe is called **Sparotragion**, the vertue of this herbe is to breke the stone, and it is hote and drye.

Caprifolium.

This herbe is called **Wodbynde** and it hath a whyte flower, the vertue of this herbe is good to heale Cankered woundes, bladders, and akynges of the tette and sores in the toes of a man. Also it is good for the swellynge in a mānes body that is venimed, this herbe is hote & drye.

Canabari

Canabaria.

This herbe is called wyld hēpe
oz holy roppe, it is lyke vnto hēpe
his vertue is if a man haue the fe-
uer frete well his pounce therewith
and he shal be hole, and it groweth
in watery places.

Costus.

This is named Cost oz lesse De-
m, his vertue is to heale the sycke-
nes of the breste & of the lunges &
it wyll bzeke the postume.
Also it draweth out euil humours
of a mannes heade, it is good for
a mannes stomake.

Cepe

Is named an Onion, hys ver-
tue is to cōfort a mannes stomake
it putgeth some what the fleume it
nesseth som what the wombe. Al-
so and it be stamped and tempered
with honye and Alepyll, it is good
for the bptyng of a boube, Also the
ioice tēpered with womans milke

is good to hele the akyngre of eres,
Also the ioyce tempered with anye
lycroure is good to drinke for any
mā that hath lost his speche. Also
the ioyce put in y nose thrylles bre-
keth oute the wycked reuome and
the stoppyng of a mannes head.

Columbina.

This is named Columbyne, his
uertue is good for hym that hath
the quynsy. This herbe muste be
gathered in August.

Cominum.

This is called Comyn, the lea-
ues therof be much lyke vnto Coe-
lyādze, it hath many brāiches com-
myng out of one stalke, it is strong
of sauour: his vertue is to Destroye
wycked wynde and other euilles,
in a mannes stomake, it helpeth to
make water, it is hote and drye.

Cardiaca.

This is named Cardyacle, it
hath leues like to blinde nettels &
it hatth

it hath lytel coddess with sede, his
vertue is good for the falling rui.

Cisara.

This is called a Frenche peas, it
hath leues and coddess like vnto o-
ther pees but y leues be not so gret
nor so long, and there be.ii. spycs
therof.

Camelon.

This is called a wolvishe thf.
or a wyld thystell. He hath
whyte leues great & brode & reed
flower, it groweth by wayes, the
vertue of this herbe is if thou take
this herbe whan the sone is in Ca-
pricorne, and the moone be newe:
while thou berest it about the there
shal no mischefe the befall.

Cauda pulli.

This is named Coltes taylor,
this herbe hath leues lyke to wild
comin, but they be not stalked like:

Cabachis.

This is namen Frenche wortess
it is hote and drye.

Caulus gallica.
Thys is named wyldc Tansy
Caulus agrestis.

31. This is an herbe that men call
Gland, or kouratun, the leues be
lyke vnto plantaine but they be not
so muche, it hath a white flower &
groweth in waters.

Cimbaria.
Thys herbe men do cal it Penny
wozte, thys herbe hath rounde le-
ues, if groweth on walles,

Consolida maior.

This is named Cōfery, it hath the
leues lyke to Hozhelme, but they
be nat so white, ther be two species
therof One wyth a white flower,
the other with a red, His vertu is
yf a man be broken or broken with
in take the rotes of this herbe and
rosse them in the ashes and let the
sycke eat therof fastynge. iii. and
he shalbe hole also it helpeth to ga-
ther broken bones, it is hote and
moyst

moyst, and it bereth blacke seide.

Consolida minor.

This is called Dayly or Brouse
worre, hye vertue is yf it be stam-
ped and laide to a boche, it shall
hele it and breke it, for it is a spice
of the Conserp.

Consolida media.

This herbe is called Pethyn,
thys herbe hath longe leues and a
lytel indented and a white flower
and the flower is sumwhat like to
the Dayly.

*Hic incipit littera D. Et primo
de Dragancia.*

Dragaunce or Serpentine this
herbe is called. The vertue
of this herbe is this if it be
stamped and dronken with wyne,
it dothe awaye all maner of ven-
ym. Also it dothe awaye the a-
kyng of eres yf they be anoynted
therwith. Also the powder thereof
blowen in a mannes nose, shall cle-

se a man of the Rebome, and it is
good to destroye the coughe, and
to destroye the canker and the free-
tyng of wycked winde; this herbe
is hote and moyste it muste be ga-
thered in June and July.

Diptanum.

This is called Detender or de-
tayne. The vertue of this herbe is
thus, if it be dronken it wyll dely-
uer a woman of a dead chylde. Also
this herbe wyll draw out a thorne
or an yron out of a mans body, it
is hote and drye.

Daucus asinus.

This is called Danke, his ver-
tue is to heale the dropsy, & bytyng
of venemous beastes. Also it ope-
neth the stoppyng of the lyuer and
of the splee. Also it vnbinderh the
wombe and maketh it laxative it
is hote and drye.

Dens leonis.

This herbe is called Dandel-
ion, the

on, the vertue of this herbe is, the
More is good for the feuer quor-
dian.

Dens cants.

This is named houndest othe it
hath leues lyke to Dandelion but
they be lesse and the braunches be
not lyke and the droppe mylke.

Daucus creticus.

This herbe hath leues lyke to
wylde pepp, but the leues be more
whyte, it hath a flower of purple
coloure and it groweth in wheate
this herbe is hote and drye.

Dragancia.

This is named Dragance se-
mell, it hath leaues like to Rewe,
but it hath whyte spectes it hath
an euen stalke the lenght of. ii. cu-
bites, and it berethe seede as it were
a cluster of Grapes, and they be
pelowe it groweth in moyste pla-
ces, the vertue is yf it be stam-
ped, and medled wth Oyle and

put into the eyes of a man it shall
do awaȝe the ravyng therof. Also
the more therof and the more of the
whyte Onion stamped therewith
and tempered with hony, it healeth
all woundes that the Conker hath
be yf in in. Also who frotech his
hādes with þe more, if it be i May
without doute he mai take adders
they shall nat ven in him. Also the
ioyce destroyeth þe darkenes about
a mannes eyes, yf they be anoynt
ted therewith. Also yf the ioyce be
dronke with wine it destroyeth le
chery, and it is moyst and colde.

✠ Hic incipit littera. E, Et primo
de Enulacampāna.



Enulacāpana is called
horsheline, the vertu of
this herbe is thys yf a
man haue waggyng
teth & he eate of this her
be, they shall faste again, it helpeth
a man to make water yf it be dron.

ken

ken it deliuereth a womā of a dead
chylde, it is good for the chough it
hardeth amāg wōbe it is hote and
moyst.

✠ Endiua.

¶ Thys herbe is called endiue or
southyſtle, hys vertue is if y ioyce
therof be medled wyth hote water
& dronken it helpeth the stoppinge
of the mylte and of the lyuer. It is
good to heale the colow euyl and
y feuer tercian. It is good for hole
postumes and for to swage greate
hetes of the liuer & of the stomake
and it is colde and moyſte.

✠ Cruca.

¶ Thys herbe is named. Skyr-
wyte, This herbe hath leues like
to Byllerin but they be not so lōge
& it hath a greater more, hys ver-
tue is, the leues be good to heale a
mannes mouth, yf it be holden
longe therin. Also the ioyce of this
herbe sodden & after warde drōkē
it

it destroyeth the blacke colour:
Also this herbe oft vsed styreth a
man to lecher and to make water,
Also the moze stamped and medled
with oyle and hony clenseth a man
nes chynne yf it be anoynted ther-
with. Also the ioyce therof drunkē
delpuereth men and women of the
cough, for it is hote and drye.

Eufrasia.

This herbe is called Eufraſy,
it is good for eyes and hath a lyt-
tell ragged lefe.

Ebullus.

This herbe is called wailwort,
it hath leaues like to Elder leaues
it hath a long stalke, the vertue of
this herbe is good to destroye the
dropſy, scabbes and tetters and it
draweth awaye wicked humours
out of a man, thys herbe is hote
and drye.

Edera.

Thys

This herbe is called Juy, thys
herbe is like to hyppocrysy, & vertue ther
of is. If it be sodden in wine, & tye it
by thicke, & then lay it al hore to a
botch and it shal breke it. Also if þ
have any akyng in the head take þ
ioyce therof & oyle of roses & white
wyne & medle it together & anoynt
thy head therwith and thou shal be
hole therof. *Edera terrestris.*

Thys is an earth Juy, it hath le
ues lyke to Catmunt but they be
not so muche, and hath a redde flou
wer, þ vertue of this is yf it be so
den in Swaynes grece, it is a good
opntment for al maner aches.

Enforbium.

Thys is called Clary, this herbe
hath leues like to Sauge but þ
leues be broder & rounder, his ver
tue is if he be put in potage it wyl
make the fleshe tender.

Elleboras albus.

Thys Bellyter of spayne, or
longe

lunge worze. This herbe hath le-
ues much like to pedelton, but thei
be not so muche slyt without and it
hath a flower as it were a Bar-
neb, hys vertue is if he be put into
the nolethpylles of a man, it wyll
make him to nese. Also it healethe
scabbe, the morphew, & fetters.
Also it purgeth a man of wycked
colours of the fawome, and of the
Emerodes yf he be layd to p place
that is diseased. Also for the tothe
ache it is good yf it be sodden in A-
sel, and kepe it as hote as he may
suffer in hys mouthe & it is good
to purge a mannes stomake and
wombe. Also the powder therof
putte in grewell shal slee wormes
and the ioye medled wyth mylke
kerth slyes, it is hote and drye.

✠ *Elleborus niger.*

Thys is called Pedelyon hys
leues be muche like to lungewort
but they be not so white, & it hath
a brode

brode flower & a blacke rote, hys
vertue is if it be made in pouder &
boyl destroye and cleaues & this
herbe is hote and drye.

✠ Epactra.

This herb is called liuer wort
his vertue is to destroye & clense
hardnes of the liuer. Also if it be me
led wth fresh grece it boyl hele woun
ds and it is good to hele the feuer
uartyne.

✠ Erpina.

hys herbe is named Forglones

✠ Ebulus minor.

This is the lesse wolwort
somewhat lyke to wolwozt and
the leues be a lytell redder.

¶ Hic incipit liber a. J. Erpina

De Flammula.



Flammula is called
Sperewort or Lann
cell it is much lyke to
a spere, and in the crop
of the walke cometh
many fayre & smal braunches and
it hath

It hath a white flower and it groweth in waters, his vertue is yf a man haue the fevers and the poises of him anointed therewith he shal be hole, & it is good to breake botches and byles and it is hote and drye.

¶ fumus terre.

¶ Thys herbe is called Fumitory or erth Gall, his vertue is to comfort a manes stomake. Also it giveth a man appetyte to meate and it helpeth a man to make water, & it openeth the lyuer, and it clereth a manes blode. Also yf any drynke therof with whei, it destroyeth scabbes, yfches, bladders, and wycked humours, it is hote and drye.

¶ fumicretum.

¶ Thys is called Fumicrete, this herbe hath a longe stalke, and it hath leues lyke to thye leued gras and it hath coddes, his vertue is yf it be sodde in water it maketh a man laxatyue without any perell
and

and is hote and drye.

Fragra.

This is called Strauberpe, the
vertu of this herbe is good for blew
redne. Also it is good to destroye
the webbe in a mannes eyes. Also
the toyce of it medled wyth hony &
broken healeth the mylke.

Fabaria maior.

This herbe is called Brocke-
lepe, this herbe hath leues like bo-
n Bistesse, & it groweth in waters.

Fabaria minor.

This is the lesse Brockelemp-
e, hath leues in maner longe and
somwhat rounde lyke to myntes.
This is good to lay to a place that
is broked or to be well ynge yf it be
tryed with shepes talowe.

Filix.

This herbe is named Ferne,
of this be .iii. species. The fyrste is
Pompody, the secode is Osmunde
and it groweth in diches and wode.

Des

Des, and it hath a greete more, as
pynapples, it is good to heale bro-
ken bones. The thyrd is Cuscuta
it groweth in walles, & vulpo-
ly groweth in Okes, it is good to
make a man laxatue. This ferne
groweth in woodes, it is good to
heale the Bodinger. And it maketh
synowes strong.

Filipendula.

✠ This herbe is called Dropwoort
the vertue of it wyl destroye the
wycked wyndes aboute a mannes
lyuer and his milke and it is good
to destroye the stone, it is hote and
drye.

Feniculum.

This herbe is called Fenel or
Fenkel, the vertue of this herbe is
this, if the sede be dried it is good
and comforteth the stomake it ope-
neth the stoppyng of the raynes
of the bladder. Also y^e oyle is good
to do awaye the webbe of the eyes
of a man

of a manne, and if be dronken with
wyne, and water, it is good to do a
way al maner of venym. Also the
ioyce dropped in the eres of a man,
it wylle see wormes in a man. And
also if it be dronken with wyne it
wylle breake the dropsye and al ma-
ner swelling, and kepeth him fro
castyng, and if it be dronken with
wyne and water, it maketh a wo-
mans mylke to encrease. Also if it
be medled wpyth oyle it is good to
hele a mannes yarde that is swol-
len. And thys herbe is hote & drye.

Faxinus.

This herbe is named Hettwood;
his vertue is if he be powned and
layd to a soze, it wylle heale it.

Femculus porticus.

Thys is called wormesede. It
is good to destroy wormes in a ma-
nes body, this herbe is hote & drye.

Febrifuga.

Thys named Fetherfoye, hys

D.i.

bertu

Vertue is to comfort a mannes sto-
make it is good to aswage p are-
coridian, the cramp, and to tempe-
re that commeth of colde stomakes.
Also it is good to lay to a soze tha-
is bitten wyth venemous bees I
wyl hele it shortly and it be layd
thereto. Also if it be tempered wyth
lyfel it wyl do awaye the Gho-
phew. Also if it be stamped and
layd to a wounde in the whych b-
roken bones, it shal bring the b-
ken bones togyther and heale th-
e the rote therof is good to stopp
the bloody mension. And this herb
is hote and dry.

Ylago.

This herbe is called Feldwoz-
or Hore wozte it is a lytel herbe,
it groweth in whete.

Flamenula.

This is called the lesse Sper-
wozte, this herbe hath smal leaue
lyke gras, but it is sharpe lyke
Sper

perce and it groweth in feldes, his
vertue is if a head be cutte it wyl
heale it a none.

Hic incipit littera. G. et primo.

De gratia dei maior.

Gratia dei maior, thys herbe
is called the more Gratia dei.

Granum.

This is Gromel or Lyche wale
the vertue therof is good for the
stone, and for al euilles in the blad
der. Thys herbe is hote and drye.

Genestula.

This herbe men do call it Gene
stre or brome it hath leaues like to
Spryngeruell, and it hath a yelow
flower his vertue is to knyte bones
and synowes to gyther.

Gencianus.

Thys herbe that me do cal Fel
worte or Balmayne, thys vertue
is yf it be dronken with water and

D. ii. ho.

and hony it helpeth the swelling
in a mannes body, in his stomake &
it is good for venemous beastes, &
it delyuereth a woman of a dead
chylde, it is hote and dry.

Galanga.

This is named Galanga, the
vertue of thys herbe is thus, it co-
forteth the stomake & maketh hym
wel to degeste hys meate, and un-
byndeth and letteth oute wycked
wyndes of a mannes body.

Granum solis agrestis.

Thys is called wyld Gromel.
It is somewhat lyke to other Gro-
mel, but þe seede therof is somewhat
grape it groweth in dyches, & it is
good for the stone.

Gladiolus.

Thys herbe is called Gladon.
the vertue of it is good to make
man to cast.

**Hic incipit littera. P. Et primo
De herba cruciata.**



Herba cruciata is a her-
be that a mental Cren-
wozte this herbe hath
lille leues and a small
stake wpth white flo-
wers, and it is like to a crosse, this
is good to heale woundes.

Herba cristofori masculi.

This is called Cristofer, the
male it hath leues like to þe Crou-
lope, but they be more whyte and
not fully so longe, it hath yelow
flowers, his vertue is to heale the
Epylence and the frensy.

Herba Cristofori femini.

This is named Cristofer femate
it hath leues lyke to herbe Peter,
but they be not in all so whyte and
it groweth muche by the waters
syde it hath a longe stake.

Herba walteri.

This is herbe walter, it hath

D.iii.

leues

leues lyke to Dersly and the leues
be sū what thicke fatte and thēder.

Herba Roberti.

This is named herbe Robert, it
hath leues lyke to herbe Bener
it hath small flowers lyke to pur-
ple colour, and it hath a strong sa-
uour. hys vertue is to heale woundes,
Des, & pouder of it wyl see cakers.

Herba Martis.

This is called Wortagon. It
hath leues like to the capitall let-
ter. M. and some brāches hath. ix
leues and some. x. and some moze.

Hastucaregia.

This is named Wooderose if the
moze therof be stamped and drōken
wyth wyne, it wyl heale a sore in
the mouth. Also the sede stamped &
dronken wyth strong Aysell wyl
staunch the flyt and make the
wombe harde.

Herbe Petri.

This is named the Confloure

Herba

Herba

Herba

Herba Johannis.

This is called Saint Johannes
worste the vertue of it is thus, if it
be put in a mānes house, ther shall
come no wycked spirite therin.

Hic incipit littera. J. Et primo
de Jusquiamus.

Jusquiamus is called Hen
bane his vertu is good
for y gout, & namely tho
se y come of melancoly.
Also the seede therof and
the seede of, Humlocke medled to
gyther and a candell made therof,
or byent vpon a tyle floore, and let
the smoke go vp into a mannes
mouth in especial among the teth,
and it wyllee woymes. Also the
rotes be good for the tothache. Al
so the ioyce therof is good for all
woundes. Also it swagethe the
cough and the hote postume, and
the hote podager. Also the seede of

D.iii.

this

this herbe shuld be gathered in the
moneth of August. Thys herbe is
colde and dry.

Flopus.

Thys herbe is called Flope, hys
bertue is if a manne take the ioyce
therof, and put it in hys mouth, it
will heale al maner of euils in the
mouth, Also it fleeth woꝛmes in a
mannes wombe & maketh it nesh.
Also if it be dronken grene or if pou
der it maketh a man wel coloured
it is hote and dry.

Treos.

This herbe is called Sane, it
hath leues much lyke vnto the flo-
werdeyce, and it hath a whyte flo-
wer, it groweth in water, the ver-
tue of it is good to heale the aking
of synowes. Also if it be dronken
wyth wyne or ale, it shal destroye
wicked humours in a manes brest
and the coughe. Also it destroyeth
the

he crampe, it healeth the bytynge
of venemous beastes. Also if a wo-
man haue a dead child within her
it wyl deliuer her wythout peril,
it is hote and dry.

Iris.

This herbe is called Flower-
delice. this is lyke to an herbe that
is called Saue, almost in al fetu-
res, but the flower is moze ynde
blewe, this herbe groweth in was-
ter and gardyns. It is of the same
uertue that Saue is of.

Iatug.

Thys herbe is named Cocco-
pyntel thys herbe hath leues lyke
Mercury, & a flower lyke to Dra-
gaunce, and it is bytter and pye-
kyng upon the tong, hys vertue
is if a ma haue any swelling upon
the tonge or any swellynge about
hys eres, take the herbe and sethe
it wyth Tuberosetacibus in wine
and oyle and wyth comyn & make
a plaister

A playster therof and lay it to hys
eares & it wil make him hole. Also
take the knobbes of the rose, and
dye them and clense them, and they
haue vertue to make a man lavative
ye yf it be constypulatur. Also yf
thou wyl make thy face white and
clere take the powder of the roses
and lay it in rose water, and set it
agaynste the sonne, tyll it be consu-
med, do so twise oꝛ thryse, than rub
thy face with the powder oꝛ what
other place thou wylte, to frete a-
waye the superfluite of the fleshe
This herbe is hote and drye.

Asia nigra.

This is called Madefelon oꝛ
bulwede oꝛ knapwede.

Asia alba.

This is called Colegras oꝛ wild
cansy, it is good for clensyng of a
mans lymmes.

Asia maior.

This is named Sympernel, it
hath

hath leues like to Cheken meate it
is good to heale woundes and to
destroie venym and to hele a man
of the postume a to heale sore eyes.

Ipsa minor.

This herb is called Chekē meat.

Jacinthus rusticus.

This herbe is called Blewebe
tyme of andode of Kanbowe.

*Hic incipit littera. A. Et primo
de herba Lanisticum.*



Quage this herbe is cal
led, his vertu is muche
in the seide the more ther
of is good to be dronkē
w wine to heale a mans
stomake, a for other cuples wyth
in a man, and for to make good dr-
geþon, it is hote and dry.

Lingua ceruina.

This is called Vertus tonge, þ ber
me of it is good to ripe a postume
and

& breke it if it be sodē wyth oyle of
Roses and a plaister made therof
and if it be dronken wyth wine or
ale, it wyl harden a maunys wom-
be and it is hote and dry.

Lilium.

Thys is called the Aylie, & vero-
tue of this is yf it be stamped with
talowe & oyle and a playster made
therof and layde to a place there
as the postume is, it shall rype it &
make it to breke. Also take a great
quantyte of the rotes and the fede
of the Rocke, & the moze of Loua-
che and put all these in wyne, and
oyle, the space of .ix. dayes and af-
terwarde seethe it and clense it, and
do therto weke and make therof an
oyntment, and that is good to heale
the soze & the hardnes of the milke.
Also & ioyce therof is good to heale
the benym of adders. Also laye the
ioyce therof to a wounde that is
bitten

of
rof
oz
m.
er
th
De
re
at
be
a-
id
f-
id
in
le
e,
le
e
s
n

byttē and it wyl heale it, also take
the roses and roste them and tem-
per them with oyle of Olive, and
lay it to a place that is bzent, and
it wyl heale it. Also this herbe is
good for many other thynges and
deseases if it be dronken wyth ale,
wine oz water. Also it healeth and
comforteth muche a mannes sino-
wes. The vertue of thys herbe is
in the Mozes, and thys herbe is
hot and dry.

Ligustum.

Thys herbe is called Primrose,
thys herbe is good to potage. Also
the ioyce putte in a mannes nose it
wyl destroye Megrym.

Lingua bouis.

And This is called langdebefe the
vertue of this herbe is good to do
away y^e redde coulour of a mā. Also
yf it be dronken it dothe away the
Cardyacle and other wycked hu-
mours in a mannes longes. Also
the

the force of this herb broken wth
hote water, maketh a man to haue
a good minde and good witte, this
must be gathered in June or July,
it is hote and dry.

Lingua serpentis maior.

This is called Adders tonge,
this herb hath leues lyke to Asfo-
dyl, but they be more grene, and al-
so more sharpe in the ende, this
must be gathered in April.

Lingua serpentes minor.

This is called the lesse Adder
tong, this herbe hath leues som-
what lyke to Aspyll, and it hath
a yelow flower and out of the stal
ke cometh many braunches and it
groweth in wodes.

Lingua canis.

This is called hundestong, it is
good to destroy the coughe and the
postume, it wyl rype a boche.

Lingua iuccina.

This is called Buckeshorn of
Swyne.

Swynelkerce this herbe hath le-
ues faltred as it were an H. ittes
horne, and groweth creppng by the
grounde, and it hath a lyttel white
flower, it groweth in watery pla-
ces.

Lupinus.

This is called Lupyne, this
herbe hath leues like to fyue leued
gras, the Lupine hath. vi. leaves
and it hath a whyte flower, and a
whyte seede that is somwhat lyke
and it bereth coddys somwhat like
unto Bene coddys, the vertue of
this herbe is thus, yf a man haue
wozmes in his wombe, take the
seede and make mele therof and the
ioyce of wormewood and hony and
make a cake therof and eate it and
it vnbryndeth the stoppyng of the
liuer & of the mylt. Also it is good
to destroy y Droopse. Also take the
same mele & the ioyce of Arsmette
and make therof past and lay it to
thy

thy eares and it shall kyl the woormes within them, or if thou make a cake & hete it, it wyl do the same. Also if thou wyl take the ioyce of Lekes and temper it with the mel and put it in thy eres, it shal cleanse them fro all wycked humours and styngyng. Also take the same mel and temper it with oyle and it wyl heale and curre all maner of postumes, thys herbe is hote and drye.

Labrum veneris.

This is called Southystel, the vertue of thys herbe is thys, yf a man haue a hote feuer, take the ioyce therof & temper it with hote water and let hym drinke it and he shalbe hole. Also if a man haue venym within him, take thys herbe and drye it and make pouder thereof and do the pouder in good wyne and let hym drinke it and it wyl cast vp all the venym, it is hote & drye.

Lauen-

Lauendula:

This is called Lavender, yf this
be soden in water geue that water
to a man that hath the palsy and it
wyl helpe hym, it is hote and drye.

Lactuca:

This herbe is called Lettys
or stope worre, the vertue of this
herbe is thus. If it be eaten rawe,
or soden it engendreth good blod.
Also this herbe soden with a lytel
Aisel and Saffron and than dron-
ken, it helpeh a man that is stop-
ped in the lyuer and in the mylke.
Also yf a man may not slepe, take
the seede of this herbe and stampe
it to powder and temper it with wo-
mans mylke and make a playster
therof on lynte, and lay it to the tem-
ples of the heade, and thou shalt
slepe well, or els drinke the pow-
der therof with mylke.

Also take the seede & temper it with
oyle of roses, and make a plaster

C.

and

and lay it to the stomake, and it
good to destroye the hote postum.
Also drinke the ioyce of thys her
or pouder of the seede for it is go
to heale the Flice. But whos ble
this herbe ouermuche, it wyll i
stroy theyr syght, this herb is co
and somewhat moyste.

Lactuca siluatica.

This is called wyld Lettys
this herbe hath leaues lyke to t
thystell, and they be sharpe & ke
and it hath a flower of purple
loure and it groweth in felde
in whete. This herbe is hote an
dry.

Lactuca leuizina.

This herb is called Marchyste
this herb hath leues like to Sol
thystell, but y leues be not so end
ted, it droppeth milke, the vertu
this herbe is thus, if a hare eate
this herbe in Sommer whan he i
mad he shal be hole also take thys
her

herbe and ley it to a mannes syde
thā he slepeth or els that he know
not therof, and it wyl helpe hym of
the fevers.

L. Lolium.

This herbe is called Cockle this
herbe hath vertue if it be dronken
yth Reddyshe and a lytel salte,
is good to hele the Canker, or o
er woundes in peryll. Also it is
good to comforte the stomake, and
helper. Also it wyl unbinde wo
res in a mannes stomake. Also it
elpeth a man to make water, and
is good for sore eyes. Also sub
migation therof will make a wo
man to bere her childe without a
ny peryll or harme. Also it wyl a
uage the great paynes of a kynge
if the lye it is here and day.

L. Apacium rubeum.

This is called the reed Doeke, if
man take the ioyce therof & hold

E. u. It in

seth his mouth, it wyl aswage the
teeth ache. Also yf a man haue the
dynged euil, take this herb & seth
it in wyne and strayne it and gyue
hym to drynke and he shalbe hole
yf he vse it ofte. Also yf a man rub
hym wth the ropte, it doth awaye
euyl pockynges. Also this herbe
is good to deliuer wyndes that be
stopped in a mannes stomake bal-
king. Also this herbe is good to
make crabbes and botches ripe. Al-
so it is good to make a ma to haue
a harde wombe, it is hote and dry.

¶ Linn.

This is called Flex, it is good
if a man take the seede therof & seth
it in water, it maketh a man lara-
ter, and it is good to make a play-
ster therof for anynge sores. Also
ther is another spece therof that is
called Custula, it is named in En-
glish Dodare, and it groweth a-
mong flexe, the vertue of this is
good

good to purge a man of the colour
Also if it be take and a great quan-
tite therof sodden in Myrr and
yle togyther, and a plaster made
herof, it is good for the rayues &
for the brest, and for other akynges
ymmes.

Lauriola.

This is called Lamzell, it wyl
make a man laxative & it is good
to purge a man of fleume and of
the colour, it is good for a ma that
may not eate, for if the ioyce therof
be put in his eres, or if it layd here
be stamped and a suppositoie
be made therof and layd on cotton
it wyl hele, it is hote and dry.

Liquiritia.

This is naued Lycopse, the
root of this herbe is swete and it
moysteth & kyngdely hett of a man
and it is good for the coughe; Also
if it be sodden in water, it wyl de-
stroy a mannes thurst, also it may

keeth a mannes breste, hys throte &
hys longes, moyst and in good tem-
per. Thys is cold and moyst.

Lappa.

Thys is called Clote, or Butte.
Lappa amerla.

Thys is called a clote.

**De littera M. Et primo de
Millefolio minore.**



Millefolie the lesse this her-
be is called, There is
no difference of kynde
noz vertu betwene mil-
lefolie the lesse, and myl-
lefolie the more, saue the more grow-
eth in gardens, & the lesse in wyld
place they be both of one strength
hys vertue shalbe declared in Mil-
lefolie the more folowynge by letter.

Mercurialis.

Thys is called Mercurye, hys
vertue is good if a man haue a kynne
in his wombe, gyue hym to drynke

the

the ioyce and he shal be hole, it wyl
hele the stomake and the sede wyl
do the same. Also the ioyce tempe-
red wylth whyte wine is good to
heale sore eyes, and yf a worme oz
other venym haue bitten a man,
take the ioyce and warme it, and
washe it. Also yf there be any wor-
mes copen into a mannes eares,
take y ioyce and warme it and put
it into his eares and he shal be hole.
Thys herbe is hot and dry.

Menta.

— This herbe is called Mente,
hys vertue is if it be ofte eaten, it
wylle sle wormes in manes tothe.
Also if a mā haue botches oz other
rennynges oz swellynge in hys
head, take thys herbe and stamp
it and lay it to the sore and it wylle
hele it. Also if a mānes tothe oz the
fleshe of y tothe ake oz linke, take
thys herbe & seth it in white wyne
and in Aysell, and take y lycoure &
E. liii. washe

Wathe his mouthe therwith, than
take the pouder of the herbe and
rube well his tethe therwyth, & he
shal haue a swete smelling mouth
Also take thou thys herbe & Asell
and make sauce, and it wyl make
the to haue a talēt to thy mete, also
whē there shalbe gūen any mede-
cyne to destrope benym, it wyl be
good to be gūen with the ioyce of
this herbe, for it hath many ver-
tues and namely for benym, there
be many spices therof and it is hote
and drye.

Menta romana.

This is named whyte Mynt,
the vertu therof is the ioyce, it wil
see wormes in a mannes wombe.
Also the ioyce wyl see wormes in
the nolethyllles of a man. Also the
pouder therof caste in a mannes
meate, it shal make hym wel to de-
fer his meate.

Malua.

This

an 20 Thys herbe is called Maloto
nd the vertue of it is good if the lea-
be ues be stamped and layd to a man-
th nes stomake it wyl breake a hote
ll postume in the begynnyng, or els
ke medle thy herbe with freidhe swya-
so nes grece and laye it on a hote tyle
e- and lay it al hote to the postume &
be it shal cype it and breake it. Also it
of is good to destrope the hardenes
r- of a mannes liuer and mylce. Also
re it wyl make a man laxatiue, and
te it is good for playsters, it is colde
and inopste.

¶ Morrell or nyght shadow.

¶ Thys herbe is cold & dry in the
ii. Degre, the leues, the braunches &
the frute therof be ryght good and
beste whan they be grene, they be
good for stoppynge of the Splene
and the lyuer, & beste for the Tan-
delle to drynke the ioyce of it wyth
alytell Ruberbe. Also for a postu-
me in the stomake, in the bowelles

or in

or in the lyuer seth the soyce therof
with barley water and drynke it.

Mastyke.

☞ This gum is hote & dry, in the
secōde degre it is a gūme of a tree
growing in a parte of the countre
of Grece in the latter ende of Aier
the men of that countre slit the trees
and chan make the grounde clea
ne about, and lay clothes rounde
about the trees, or some other con
ning to kepe the gumme from the
grounde in closynge of it, to knowe
whiche is beste to take, the beste is
whyte and clere, the whyte colour
is nexte the best & y^e is medled with
erth & somewhat darke, y^e beste masty
ke he hath vertue of constraynig, co
fortig clēsig & toling of humours
descendynge from the head aboue to
the eyes and to the tēthe, and for
the deseles of the temples made of
and ascendynge wynde from the sto
make

make to the head. Take pouder of
Mastike, with whyte swete wyne
and the whyte of an egge & medle
them wel together and ye wyl, ye
may put in stenkensence and play-
ster it to the temples. Also seethe
Mastike in water and drinke it &
it wyl comferte wel the stomake,
and make good dygestyon, and it
comforteth and relareth y^e stomake
and put to it Fenel seede, and it put-
teth out wynde out of the stomake
Also a plaister made of Mastike
and Bole Armoniack & the whyte
of an egge and byneger and lay it
on the forke of the stomake oz brest
it wyl constrain well the coleryke
banne. Also seeth Mastike in rayn
water and drynke it wth warme wa-
ter and this medecine is good for
the flux of y^e wombe that cometh
of a sharpe lase that was taken be-
fore to stoppe hym. And boyle
Mastike in rayne water, oz Rose-
water

water with two or thre cloues and
drynke it warme and that confor-
teth the vomyte and v flux of the
wombe that cometh of sharpenes
and violence of the medicine. Also
Maske must haue but lytel boy-
lynge for hurtynge of his vertue &
it shulde be gyuen warme, for it co-
ntrapneth moze whan that it is gy-
uen warme, Than whan it is ouer
much hote.

Magerum.

This herbe is hote and drye in
the seconde degre, the flowers and
leues be vsed in medicines, it shuld
be gathered in somer whā it flow-
reth, and drye it in the shadowe, It
may be kept a yere, it hath vertue
of confortynge, of losynge, of consu-
mynge, and of clenlynge, Yf the
powder of it be drynke in wyne, or
els boyle the powder of it in wyne
& it wyl here wel a stomake. Also
it comforteth the digestion. Also
take

take þe leues and floures of marge-
rum and potone the a lytel & make
them hote in a panne, and lay it to
the greuaunce and it taketh awaye
the defeaſe in the ſtomake that cometh
of winde. Alſo for the reſon
in the head, take this herbe & bind
it warme aboute thy heade. Alſo it
dryeth the mother and conſumeth
the ſuperfluyte of it.

Millefolium maior, or parow:
Hyrig Achylles found this herbe.
He & wyth it he heled his men that
were wounded with yron, for woundes
his ſtamps thys herb with ſwine
grece, and playſter it to the wounde
and it ſhall hele it, and the ſame is
good for an ache in þe breaſte or ſide.
It is good for them that maye not
pſſe, take the ſoyce of this herbe
and wyneger & drynke it, and melle
helowſy it helpeth a wounde that
hath toke colde. Stamp thys herbe
in butter and lay it to the wounde
and

and it wyl heale it wel. Also to de-
gest the stomake or that lieth there
in, take the ioyce of it and medle it
with water and honye and Drynke
it warme. Also for Deseases in the
body take the powder and medle it
wyth wyne or wyth good ale and
Drynke it and it helpeth much. Also
it is good for hart brennyng. Also
for the head ache stampe thys her-
be and playster it to the head. Also
for bityng of a wood dogge, stam-
pe this herbe with the graynes of
wheate and it healeth it. Also for him
that may not holde his meat, stampe
thys herbe wyth wyne and Drynke
it warme.

Another worde of Mugworthe.
Thys herbe in latine is called
Artemesia, and it is hote and Dry
in the iii. degree, thys herbe helpeth
a woman to conceyue a chylde, and
cleaseth the mother and maketh
a woman to have her flowers and
to de-

Destroyeth y Emeroydes on this
maner. Fyaste they must be ga-
thered, the take pouder of Mother
wortte and of Horehounde together
and strawe it on the pappes. Also
if a chylde be dead in the Mothers
wombe take Motherwortte & stam-
pe it small & make a playster there-
of and lay it to her wombe al cold.
And with the grace of god she shall
haue Deliueraunce wyth out perel.
It is good for the stone and the
trauell in the raynes of a man or
of a woman, if a man bere this her-
be upon hym, there shall no vene-
rous beste greue hym. It is good
for the pelowe yaundes and if it be
drunke wyth wyne, for it com-
forteth the stomake and maketh
man or woman to haue good co-
ure.

Maces.

This spyce is hote & dry in the. ii.
degre maces be ryndes or huskes
it gro-

It groweth about the Nutmegge
as y^e rinde groweth about the Ha
fel nutte, it may be kepte .x. yere in
his vertue it is confortyng, Dissol
uyng, and consuming, the know
lege of fine maces is thus, it shuld
be in colour lyke to fyne golde or
els like to gold, that siluer is gylt
with, the whyche hath a sharpe ta
lage with a bytternes, & it tokeeth
like to earth, and it is to be refused,
for it hath no sharpe sauour, for a
colde stomake that maye not desye
nor degeste well, take maces and
boyle them in wyne and drynke it.
Also a good plaster the whyche is
best for a feble stomake, make pow
der of Mastyke and of maces and
medle them with oyle of roses and
waxe and make a playster ther of
lay it on the stomake of y^e seke per
son. Also to clyense the braine of su
perfluous humours, take a quan
tity of Maces and chebe the warl
in the

in thy mouth and holde them there
a while, and that shall lose the fu-
mostre of humours that ryle by to
the braynes and purge the super-
fluite of it. Also for feblenes of the
stomake & y lyuet of a colde cause
and for y colyke, and for the disea-
ses of the spirytuall membles, or
flewme, boile maces in the ioyce of
fenell and in the ende of the boyl-
yng, put in a lytell wyne, than
strayne it and drinke it for it is the
beste remedy for the fore said disea-
ses. And for the ache of the herte,
yse powder of maces in thy metes
and drynkes.

Menta.

Thy is named y reed Mynte
it is hote and drye in the .ii. Degre,
and there be .ii. other myntes, but
I meane house mintes, the whych
properly is sayde garden myntes,
for that moste comonly is in mede-
cines both grene and drye, for great

f.i. holson

holsonnes it shoulde be dzyed in a
shadowe place, as so it wyll be kept
a yere in great vertue, to dyscolur
oz lese to cōsum of his proper qua-
lite and to comfozte of his swet sa-
uour, for y styngynge of the mouth
and filth in the gummes and of the
teth walsh thy moulthe and gum-
mes wyth vynerger that myntes be
soden in, and after rubbe him with
the powder of myntes oz with dry
myntes to prouoke the appetite,
whā an impedimēt of the stomake
that cometh of colde humours be-
ynge in the mouth of the stomake
make a salve of Myrthes and vyne-
ger with a lyttell Synamun and
peper and vse it well agaynst vo-
mytes that cometh of feblenes of
the stomake oz of colde causes.

Seth myntes in Sauge water &
vynerger and dype it in and laye it
on the mouth of the stomake wyth
the myntes that be sodoen therein.

Also

Also gyae to the pacient to eat of
the same Myntes for the synco-
pyne and feblenes in feuers, and
without feuers, or of medecyne, or
of what cause it be, stamped Myn-
tes wpth vyner and a litle wyne
yf the pacient be wpthoute feuer,
and yf he be with feuer, stampe
Myntes with vyner alone, than
make a tose of sower breade and
toste it well tyl it be almost brente
than put it in that lycoure and let
it lye there in tyl it be well soaked,
than put it in to his nose and rubbe
hys lippes, gummes, ceth and tem-
ples therewith and bynde it to the
pulse vaines of his armes, and let
the pacient eat the mynstines that
is left and swalowe it in. For to
cleyse the mother, take the tender
croppes of Myntes and seth them
in water or wyne and playster it
to the thare, and to the raynes, a-
gainst the cōgelyng in a womanns
F. II. breath

best take the smal stalkes of mine
eyes and seth them in wyne & oyle
and playster it about þe eyes. Also
be it knowen that when any mede
cyn should be gyuen agaynste ven
nym it shoulde be gyuen wyth the
ioyce of myntes for myntes haue
a maner of strength of drawynge
out of venym, or els it shoulde be
wyth wyne that myntes hath ben
sodden in, for stopping of the spleen
and the lyuer and of the wayes of
the vryne of a cold humoure and of
a hote withoute. Fever, Take the
foyce of myntes alone, or myntes
soden in wyne, or the ioyce of myn
tes medled with hony, and gyue it
to the pacient. To see wormes in
the bellye, take the ioyce of mintes
and drynke it, & thou shalt be hole.
Also þe ioyce of myntes sleeth wor
mes in thy eares. For a tetter take
the ioyce of myntes and put therto
brimstone and vynegre and medle
them

them well togyther, & anointe the
 tetter therwith and thou shalt be
 hole. For a wounde in the heade,
 stampe mintes and laye the on the
 wounde. &c. For payne in the syde
 take myntes and seth them in olde
 wyne or ale & with it stampe. xliii.
 graynes of Peper and Drinke it in
 the night, there be but lytell dyffe-
 rence betwene thys mynte and the
 romayne mynte, this is the garden
 mynte.

C. littera et primo de nux
 muscata.

Nutmegge is hote & drye
 in the ii. degree, the best
 groweth in ynde and in
 the tyme of his ripping, it
 is gathered and. ii. yere
 it may be kepte, they that be plain
 and heuye after theyr kynde be best
 to be chosen. Also whan they be
 broken they fall not to powder,
 but they haue a swete and sharpe

F.iii.

sa

saouure, if they lacke any of these
aforesayd, they be not good for me-
decines, he hath vertue of comfor-
tyng by his sweete saouure, or cold-
nes and feblenes of digestion of the
stomake, take in the morning halfe
a Nutmige or a hole Nutmegge
and eat it. Also for a cold stomake
that is feble of digestyon and for
the lyuer gge hym wyne that the
Nutmegges is boyled in. Also for
the same boyle Nutmegges, and
Mastike in wyne and drinke it,
thys is good for the diseases in the
stomake, and in the bowelles to
breake in wynde. Also in the reco-
uerpge of a sycknes to comforte
the sppytuall mēbres, boyle Nut-
megges and mastike in wyne and
drinke it. Also take a Nutmegge
and smell to it, and it wyl comforte
the sppytuall membris.

¶ Napo.

Thys is named Nauewe, it de-
spyzeth

spzeth grounde that is fattye, and
sandr, it groweth beste in suche
grounde. The proprietie of the Ra-
uewes is he changeth and turneth
into rape, and after that it turneth
into nauewe. The beste do growe
in grounde wel donged and turned
Also it proueth wel in places that
stuble of corne hath bene in y same
pere. If they growe to thicke
plucke some vp here and there, so
that the other may proue the better
and those that ye plucke vp set the
in boyde places. They shoulde be
sowen in the ende of Iulye and in
Auguste, the beste sauored Raue-
wes be they y be long and strayght
and not ouer great nor braunches
in the rootes, but a strayght roote.
Also of Rauewes may be made a
pallyng good meate wyth a lyttel
salte and vyneger, hony and mus-
tarde and with swete spices and it
may be made wythout spices Ra-
uewes

Rauewes be hote in the second De-
gre and they nozyshe muche, but
they be hard of Digestion, they ma-
ke the fleshe softe & wynde but lesse
wynd than rapes. Therfore whan
he seth them in water, cast that wa-
ter away, and seth them in another
water and so hys hard substance
is tempered by that, and so menely
betwene good and euell they engē-
der nozysing, for they that be thus
sodden be not harde of Digestyon,
they make one wynde, and they
make stoppyng of baynes and of
poores but yet they be profytable
yf they be sodden twyse and bothe
the waters to be caste away, & they
to be sodden wyth the thyrde wyth
fatte fleshe.

**Hic incipit littera. De et primo
de Olibano.**

Olibanum is called frankē
sence, This is hote and dry
in the .iii. degre, it is gumme of
a tre

a tree in Inde, the cleneste is the
beste. Also there be trees of that
kynde growyng in Barmake, but
not so clere nor good, for it is dar-
ker of colour, therfore it is to be re-
fused in medecine, it hath vertue of
comforyng by hys swete sauoure.
Also of cloynge and constraynyng
for the toth ache that cometh of su-
perfluyte of humours of the heade
and specially by the baynes, make
a plaister of powder of frākensence
with wine & the white of an egge,
medle them togyther and playster
them about the temples. Also to
stoppe the wayes of the baynes a-
boue, take frankensence and che-
we it well in thy mouth and that
shall stoppe and let the flux of hu-
mours comyng downe to the nose
chzilles. Take pilles of frākensēce
& swalow them downe in the mor-
nyng, then boyle frankensence in
wyne and at eu: drynke that whā
thou

thou goest to bedde. Also these pills
les be good to helpe the digestion
of the stomake, and good agaynst
soze bol kinges. Also to the conso-
tyng and clensyng of the Meryce,
and helpyng of conception in the
receiuyng the fume of frakenfence
byneth. Also boyle powder of it in
wme and whan it is metely warm
dippe a cloth in it and lay it so war-
me to the shere of the payent, and
greatly it comforteth the Matrice.

**Hic incipit littera. P. Et
primo de Pruna.**



A plumines be cold and
moyste, some be whyte
some be blacke and some
be redde. They that be
blacke and some what
harde be the beste, they be called
Damsons, and whan they be rype
gather the and set them a sprynge
byneger

byneger vpon them, and so they
may be kepte in a vessell of woode
a yere, and fyrste whan they be cut
they must be layde in the sonne. xv.
dayes to dry, these Damsons haue
vertue of coldnes and clenysynge of
the inward partes wherfoze they
be good in feuers that be sharpe &
for costyenes of the belly that co-
meth of drynes or of Colozike hu-
mours dryeng, if it be mwe gyue
it hym to eat, if it be dry boyle it in
water & gyue þe pacient to drynke
therof, thys is good for the feuer
tertian, for stoppynge of the lyuer,
for the paundes and sharpe feuers
it soreth the belly it is good for de-
faute of appetite, and for many o-
ther diseases.

Peper.

This is called Peper, it is hote
and drye in the.iii. degre. There
be thre maners of Peper, Blacke
whyte, and longe. Dialcorides
and

and Cunstanyne sayeth that they
be frutes of tres growing in Inde
and some saye that Peper is made
blacke with brennyng in the fyre
for whan it is gathered there be a
great multitude of serpētes about
it, & therfore they put it in the fyre
to brenne the serpentēs þe about
it, the Sarysyns dry it in an ouen
bycause it shall not encrease in an-
other lande. But of al the Peperes,
the blacke is the beste and the most
holsome. Take peper and put it in
to the nosethrylles & it wyl make
the to nese, and seth peper and fig-
ges in wyne and drynke it, and it
wyl clense the spyzitual membez
of tough humours, and it is good
for the poise that is taken of colde.
Also for the same eat pouder of pe-
per with fygges. Also pouder of
peper put in a mannes meat com-
forteth the degestion of y stomake
also put lōg peper in a roste apple
and

and eate it, and it shal comforte the
degestyon. Also pouder of Peper
wyl create away dead fleshe or
proude fleshe, and long Peper co-
forteth moze thā blacke. Also blac
ke Peper hath vertue of losynge
comfortyng, and of drawynge, it
clenseth the spzytuall membrs of
cold flume & vicious humours &
beste whan the pouder of it is eatē
with fygges for he hath greate
strength of heatyng and comfort-
yng the stomake prouokynge appe-
tyte, but to Sanguyne and Colo-
rike persons, it is not good to vse
peper. for it drieth & breneth blode
and it engendyeth lepryt and other
euyl sykkenes. Plato sayeth that
Peper is foule to se in syght, with-
out blacke, & within with a sharpe
saueur and a swete odour, littel in
quantite and much in vertue.

Pympernell.

This herbe is good to hele woundes

Des

des and to destroye venym, and
hele a postume an soze eyes.

Pulegium.

✠ This is named Puleol roya
it is hote and drye in the.iii. degre
In the tyme of flowring it shoulde
be gathered, and it maye be kept
in his vertue a yere, whan it shal
be vsed in medecines, take þ leue
wyth the flowers and strype them
fro the stalkes, and it hath vertue
of losyng and consumynge, for the
colde humeurs in þ head take pow
der of it and hete it wel in a Sk
let, and al hote bynde it to the gr
uance without any lycoure. Also
for a great cold taken in the head
and for a tough humor or a wat
ty humoure make a gargare. Im
seth Pulpoll royall & drye frygge
in a tarte vyneger, and take a good
sponfull therof as hote as ye may
suffre it, and holde it in thy mout
till it be almost colde, then put
out

out and take as much more, and do
so the .iiiii. tymes and that shal
purge thy head wel of fleume, also
seth it in wyne and drynke it and
it is good for the disease of the sto-
make & guttes, and for cold cau-
ses, or for wynde in the stomake.
Also it is good for tough fleume
in the brest, if thou take powder of
it, and medle it with clarified hony
and make a lectuarcy therof and
use to eat therof, or take the herbe
therof & boyle it with wyne, honye
or water and use to drynke therof.
Also for the blacke colouze drynke
joyce of it, or boyle it with wyne
& thou shalt be hole. Also for a it-
chyng byle, laye this herbe in wa-
ter, and use to washe the ptychynge
therin warme & thou shalt be hole.
Also for ache take this herbe al gre-
ne and stampe it & plaister it to the
ache and it wil ease it. Also against
the

the cough boyle thys herb in wine
and Drynke it luke warm and this
wyl make one to pisse well. For
the Desease in the bely stampe thys
herbe wpth comyn and water and
lay it hote to the navel and lightly
it shal be hole, for the Diseases in the
lpuer stampe thys herbe and tem-
per it wth water and vineger and
Drynke the ioyce therof, and thou
shal be hole. For an ache in y legs
oz armes take the leues of elders
& Buliol royal of euery like much
and stampe them together wel and
playster it to the greuaunce, and it
is good for y feuer tertian, yf thou
take the bzaunches of thys herbe &
wzappe it in a good Locke of wolle
and gyue it to the pacyent and let
hym smell therto, before the feuer
come on hym, and that shal do him
great ease. For the heade ache take
this herbe & bynde it fast round a-
bout thy hed and anon it ceaseth
the

the ache. Also yf a woman haue a
dead chylde in her wombe stampe
this herbe and gyue her to drynke
with olde wyne, and she shalbe de-
liuered of it, by the grace of God.

For the crampe drynke the ioyce
with vineger fastyng and it wyl
put it away.

Penedanum bel fen-
culus porcinus.

— This herbe is call mayth hog-
ges fenel or mayden wede this her-
be is hote and drye in the .iii. Degre
whan thys herbe is gathered for
medecines the roote is better than
the herbe whan the rotes be gathe-
red they may be kepte all a yere, it
hath a purginge vertue, it is good
for the stranguryō or the flice and
good for stoppyng of the splene &
the lyuer, boyle this herbe in wine
or water and gyue it to the patient
to drinke. Also leth it in oyle and
wyne and playster it to the chare &
B.i. it will

It wyl helpe the strangulion of the
sux. Also the same plaster is good
for hardnes of the spleen it molysfi-
eth that. Also agaynst the cold hu-
mours of the spiritual membes
gyue hym to drynke water w bar-
ly and thys herbe sodden togyther
and if it be a feruent cold humour
than seeth the Barly and the herbe
in wyne. and gyue it to the paciente
to drynke with Alecoyce.

Petrocilium.

Thys is called perelye, thys is
hote and moyst in the thyrde degre
It multiplieth greatlye mannes
blode and doth away the Cyspe,
it helpeth wel to destroy the Feuer
tertian, it is good for the syde and
the dropse, it comforteth the herte
and the stomake, and it is good in
potage and to stoppe chylkens.

Peritorium.

This herbe is called peritoze

is hote and dry, & vertue of thys
herbe is thus. If a man haue an
ill stomack or els anyng with
hym, take thys herbe and seth it
thy potage and eate therof and
you shalt do wel. Also thys herbe
is good to hele one of the stone, yf
be bathed with it.

¶ Nastinace.

Thys is called a persneppe, it
is hote and moyste in the seconde
degre. Ther be two maner of pers-
nappes, the one is the Persneppe
of the garden, and the other is the
wyld persneppe. They be more
vnto meate than to medecyne. Thys
vertue is to engedre thyke blod &
much, wherefore it styrreth the luste
of the body if it be much vnto ther-
fore it is good for a man that is vnto
retrouered out of hys great syke-
ness to vse to eate of it a whyle.
Also they be good to be eaten rawe
fodden for y melancoly humours.

greene and not dry. To make a se-
rope to styre the lust of the bodye
and for to comforte the digestyon,
take rootes of Wartsneppes & seth
them wel in water, thā take them
out and caste away the water, and
the rates that be in gobbets, boyle
thē agayne i water thā put thereto
hony well clarified and lette them
boyle vnto the thynkeness of hony,
and continually styre it, that it cleue
not to the vessell and in the myddle
of the boylunge, put in almonde
ysye haue them. in the end of the
boylung, put in gynger, galenga-
le, and a lytell peper & nutmegges
& other swete sauored spyes. Also
Wartsneppes may be sowed in De-
cember, Januarie, and March, in
fat grounde depe dolen and losse
grofide and beste digged, and they
be somewhat wyndye. Boyle them
in two waters but caste away the
fyrst water. Also there is Warts-
neppes

peppes that is com to harte & doo, the
which may be eaten both raw and
soden, & with the and saules to
gyther he may make a very good
meat and saice and vede in coultour
the whiche be sodden as partripes
be.

Plantage.

P This is called plantaine, it is
solde and dry in the .ii. degre, for
head ache take plantaine & bryde
it about thy necke, & the ache shall
go out of thy head. Also for defen-
ses in the body, sech this herbe in
good lycour what ye wyl and bre
to drynke it and it shall clense the
nawe & the other in warde. Also
for him that bledech at the nose geue
 hym to drynke the ioyce of it and
it shall cease lightly. Also of þe body
of any man be wexen hard, stampe
this herbe with grece and make a
playster of it & laye it on the hard-
nes and lightly it shall be soft and

G.iii.

make

make it hole. Also for bytyng of a
serpēt, take this herbe and drynke
it with wyne. Also for the Disease
in the mouth take the ioyce of this
herbe & holde it long in thy mouth
and eat the leaues of this herb for
hym that may not well pylle sethe
this herbe and drynke it. Also for a
rotten humour in the breast and a
boyle the harte take the ioyce of
this herbe the wayght of .x. d. and
medle it with honye and greeue hym
to ease a synfull at one tyme and
that shall purge the breast, for a che
in the fete take this herbe with wy
ner and drynke it. Also it healeth
poppundes and clefeth the fyth out
of woundes. Also it swadgeth ran
kelonge and stauncheth the men
cyons both with drynke and with
playsters made with powder of Al
moniake and of sandagoure and
Barly medled wth the wyte of eg
ges made in a playster & layd to a
foze

For the Canker and the payne
in the gūmes, take the ioyce therof
and meple it with honny and bynne-
r and powder of Alumme and that
shal hee the Canker in the mouth.
Also for the fevers, stampe .iii. Ro-
ses of Blountaine, & temper it with
water and gyue it hym to drynke
that hath the fevers and he shal be
hole, for the Jaundes stampe Bla-
dyne and Lettysse togyther & tem-
per them wyth byneger and make
a plaister there of and lay it to thy
right syde & vse it tyl thou be hole,
and it is good for the byrping of an
adder, drynke y^e ioyce of it & lay the
substaunce of the herbe to the soze,
for the same hang the rose of plan-
taine about the necke of the paci-
ent and meruelously it helpeth, for
the potager, and for the disease in y^e
synowes stape the leues of it with
a lyttell salte and playster it well
thereto, and meruelously it helpeth.

G.iiii.

Doze

Portum.

WChys is called a leke, it is hote
and dry in the .ii. degre, it despyrth
louse ground and fat and well dyg-
ged in that they shall beste profite
in hote places and temperate. They
may be sown in Decembre in tem-
perate places & cold. They maye
be sown in January, February &
Marche, whan the ground is wel
dygged and dighte, and it may be
sown by it selfe or medled with o-
the sedes of herbes in good fatte
grounde well dygged and turned
aboue it with good doge, this seede
wolde be sown somewhat thynne
and whan they be somewhat sprong
take by the greatest lekes & plante
them in forowes, but take a waye
none of theyr roote whan ye set the
in þ forowes, but whan ye set them
with a dyble, than cutte away the
rotes almost vp to the leke head &
awaye the uppermost of the leues
they

they may be planted in Iulie, Au-
guste. September & October, they
be much profitable in March, and
in Aprill nexte folowynge, but in
your plantynge you shall not seke
after fete softe ground for menely
groude that is beste & that groude
that is almost drye is beste, there
is two maner of setting of lekes,
one is in fozowes, as is the maner
in Bonony and the fozowe muste
befro the other a spanne large, and
the lekes must be set in the fozowe
fifte fingers bryde eche fro other, &
whan ye make nexte fozowe caste
the earth on the lekes and treade it
downe softly with thy fote. The
ii. maner is thus whā the ground is
wel digged & raked than make ho-
les with a great dibble & curry hole
fro other a large spā more i which
the lekes must be set in, but fyl not
thy holes nor put earth on the but
let thē be boyde. iii. wykes whā we
Des

Des growe amonge them pul the
bp & kepe the cleane fro weedes. I
mers auctours say that the Lek
that be thus planted be better th
any other, or they may be wel pl
ted among great onyons & wh
the onyons be taken awaye, we
the leke and you shal fynde the
fayre and good and whā ye pluc
bp, leue some in a place, & leue so
for sede, p̄ whiche sede may be ke
tū. yere, and it be hanged bp in t
hulles. Lokes be beste soden, or
tymes washed before they be eat
For a moude take lokes and sta
pe them wel with hony, and lay
to the wounde, and it wyl heale
for the cough take p̄ force of let
ble to drinke it, for p̄ same take p̄
ce of lokes & medle it with wome
mylke and hse to drinke it, & it w
cense the lunges of al byces.

*Fracturas solidat duritias
relaxat.*

bulnusque appositum ceto cum sa-
le claudat.

In Remedia Directum.

This is called Bellipter, it is hote
& dry in 3rd degree, the rote is used
in medicines, fynepete he may be
kept in his vertu, & know ye wel 3rd
his sharpnes is not knowe, it shold
be powdered & holde in 3rd mouth, he
hath vertu of losinge & drawing & of
consuming. To make a gargarisme
take pelletes & fyngges & boile the in
vineger or swete wyne & it will cle-
se 3rd brain of superflute of flume all
for this be chemed in 3rd mouth it hel-
peth 3rd palsy in 3rd tongue. Also for the
Bellipter & podager stape it & seth it
in wyne and oyle & plaister it to the
greuours this plaster helpeth much
therfore if thou may haue greene pe-
titer stape it & day it to king & wyne
10. dayes & after boile it wel & put
thereto ther & oyle for this is 3rd best
dintement for al 3rd foresayd disease.

Wapauer

THE VIRTUE OF PAPAVER.

This is called Poppy, It is cold
and dry, There is two maners of
them. The whyte poppe is colde
and moyste and it is good to cause
one to slepe. The seede therof well
gathered may be kept ten yere, it
hath vertue of clemencyng. It is put
in medecynes with a determinatio
as the seede may be receiued of whyte
poppy or black. For to prouoke a sle
pe, make ye a playster of eche of the
or one of them with womanys milke
ke and the whyte of an egge and
lay it to the temples. The woman
of Salernt gaue to yonge chyldre
the poppy but they wold geue them
no blacke poppe for it made them
to much heuy. Also for a hote po
stume to the beginning and for cha
fenge of the tyuer take the seede of
whyte poppe or els the herbe of it
and stampe it and mixle it with
oyle of Roses and playster it to the
greynnyng

grenaunce: Also for drynes in fe-
uer etyke, and in other fevers take
a hete oyle of hyolet medled wyth
powder of poppe seide, and annoyne
te the small of the backe therewith.

~~and soft aduised~~ ~~the~~ ~~of~~ ~~the~~ ~~the~~
~~the~~ ~~the~~ ~~the~~ ~~the~~ ~~the~~
~~the~~ ~~the~~ ~~the~~ ~~the~~ ~~the~~
Polliopodium.

This is called polliopode, it is
hote in the. iiii. Degree and dry in the
seconde Degree. Thys polliopode
is ferne that groweth vpon Oakes
or on walles, or stones but the pol-
liopode that groweth on oakes is
the best. Gather the rotes of it and
lay it a day in the sonne, chose that
is grene, and that which appereth
dry whan it is broken it is to be re-
fused, he hath vertue of dissoluyng
of drawyng of purging of some
specially melancoly, wherfore com-
munely he is put in boylunge and
to rheumatyke and melancolious
hote men, he is gyuen to preserve
theyr health, and knowe wel that
in the

in the boyleng of polypody should
be put in some thinge to exclude &
put out ventuositye as Anyse lede
fenell lede, or Comin or els al these
a foresaid ledes for they exclud out
muche wynd and unbynde the hu-
mours. Also for the Cotidian and
for Altrapassio and to kepe a man
nes heth, do thus stampe halfe an
ounce of polypody or an ounce yf ye
wyl have it muche laxative, than
boyle it with Rumes and violets
in fenel water or Anyse, in a
great quantite than strayne it and
gyve it the patient at morninge
and evening. Also stampe it & seeth
it in water with fenel lede & with
water, & make a broth with a che-
kin therein with sweet savored spices
& geve y patient to eat. Also make a
drynke thereof after this maner stamp
it & boyle it i wine & after put mor-
wyne thereto and so make up your
drynke with sweet savored spices
Dionium

Stomum.

This is called **Spony**, it is hore
and drye in the seconde degre, so
sayth **Ypocras** & **Galien** the good
physiologists, they say that y^e roote
therof groweth to diuers medecy-
nes and it wyll laste ten yeres, and
it is colde for the palsy, drye the rote
and drinke powder with **Caster** sod-
den in wine. Also the same is good
for the **Stone**. Also yf a man be
costyue and maye not goo to the
draught, take and strawe the pou-
der therof on **Cotten** and put it in
to hys foundement, and drinke the
powder in whyte wyne. Also for
a man or woman that hath the fal-
lynge euill eate it and drynke it
in wyne. Also hange the rote a-
boutte hys necke and it wyll saue
hym withoute doubte within .xv.
dayes. Also it helpeth the sores
in the mouth. Also yf thou seth it
in wyne, it helpeth the spleene. Also
Drinke

Drynke Wyony with water & honny
and do therto powder of Colyander
and thys is good for the stomake,
for the mylke and for grauel in the
reynes. Also it is good for women
for diuerse diseases. Also seth it in
whyte wyne and gyue a woman to
Drynke therof and it wylle hele her
bledder and make her to pisse the
stone, and it wylle hele her of the
Garris. Also Wyony seede whan it
is blacke it maketh Delueraunce
of the bed of the child in her wombe
and at euerye tyme whan he shall
be to Drynke it, she muste Drynke
xv. sedes on tyme.

**Littera. Et primo de
Quinquefolia.**

Quynckfolke is cold & drye in
the secōde Degre, this herbe is
good for ache in a mannes limmes
& for ache of the head, mouth, tonge,
and throte, that be sore, take & seth
this

this herbe in wyne & gyue the pa-
cyent to drynke therof thze dayes,
fyrst and last and he shalbe hole. Al-
so stampe it, and drynke the ioyce of
it in ale and it wil cease the akyng
and the gnawynge of a man oz wo-
man Also yf a man blede soze at the
nose, gyue hym to drynke the ioyce
of it with wine, and anoynte his
head wel with the ioyce of this her-
be, and anone the bloode shal stau-
che. For to sle a Canker, seth it in
wyne and the grece of a swine and
make a plaster therof and lay it on
the Canker and it shal sle it. Also
take pouder of quyncke foyle and
medle it wyth honny and therwith
rubbe thy mouth, tong, and throte,
and the chekes w. thin and it wyll
purge it well. Also for poyson and
bitynge of a serpent take the ioyce
of the Quynckefoyle, and drynke it
with wyne and meruelouslye it re-
sisteth venym.

**Hic incipit littera. R. and first
of Rybeworte.**



Rybeworte is good for
yfeuer quattayne, take
the ioyce of this herbe &
drinke it two houres be
fore ye thinke the disea-
se shall come to you and by the gra-
ce of God it shall go from you.

Rednetle.

Take Redde Netels, and stäpe
thē small & seth thē in an earthen
pot with a porcyon of whyte wyne
til halfe be wasted, and giue the pa-
cyent to drynke fyrst and last war-
me, and lay the herbes to the foun-
dement, as hote as the paciēt may
suffer it, and vse this medecine til
he be hole.

Rosa.

This is the red Rose, it is cold
in the fyrst degre and dry in the se-
conde degre, Dry roses and grene
roses

roses be vsed in medecynes, and of
grene roses be made many confeca-
tions. Also dry roses be put in me-
decynes, whan a receypte of roses is
made, for they be soone made in pou-
der of roses is made Mell to set,
Sugar roset, syrop of Roses alec-
tuary of Roses, water of Roses &
pyle of Roses. Mell roset is made
thus, take fayze purified hony, and
newe redde roses the white endes
of them clipped away than choppe
them small and put them into the
hony and boyle them menely togy-
ther, to know whan it is boyled
enoughe, ye shall knowe it by the
sweete odoure and the coloure russe.
If yue yeres he may be kepte in his
vertue, by the roses he hath vertue
of cōfortyng, & by the hony he hath
vertue of clensyng. In wynter and
in somer, it may be gyuen compe-
tently to feble spcke flumatyke mel-
lancolye, and Colozike people. also
H.ii. Mulla

Mulca is made of water and mel
roset, and it may be gyue after the
iii. day y it cometh out of the bath
for to clense the stomake of cold hu
mour gyue him mel roset with wa
ter that fenell seede is boyled in put
tynge therein. iiii. graynes of salte,
yf the sycke may take it this shuld
be the quantite of roses and honny.
In. vii. pound of honny put a ponde
of Roses, Suger roset is made
thus. Take newe gathered Roses
and stampe them ryght smal with
Suger than put it in a glasse and
xxx. dayes let it stande in the sonne
and styre it well and medle it wel
together & so it may be kepte thre
yeres in his vertue. The quantyte
of Suger & Roses shulde be thus
in. iiii. ponde of Suger a ponde
of Roses, he hath vertu of constray
nyng and comfortyng of the flux
in the wome. Take Suger roset
and powder of Mastike of euery

one a drame, and medle the well to
gyther and glue it to the sycke off,
than geue him rosewater that Ma
sycke and cloues be sodden in. Sy-
rope of Roses is made thus, some
do take roses dyght, as it is before
sayd and boyle them in water, and
in the water strayned they put Su-
ger and make a syrope therof, and
some do make it better for they put
roses in a vessel haupng a strayght
mouth & they put to the roses hote
water, and they let it stande a day
and a nyght and of that water puc-
tyng to it Sugar they make syrop
and some do put more of roses in
the foresayd vessel & more of hote
water, and let it stand as is before
sayde and so they make a reed wa-
ter, and make therof a syrope. And
some do stampe newe Roses and
then strayne out the ioyce of it and
Sugar therwith they make syro-
pe and thys is the best makinge of

H.iii.

syrop

syrop & knowe it well that syrope
made of freshe and newe Roses,
fyrst somwhat meanly they laxe,
in yende they bind, but syrope made
of Dye' Roses fyrste and laste they
bynde Syrope of Roses hath ver
tue of comfortynge and constray
nyng against the flux of the wōbe
and the vomyte, gyue it to hym
with rayne water or with rose wa
ter in a fever. After lettynge of blod
gyue it him with cold water. Also
the same for the Sincopine. Oyle
of roses is made thus, some boyle
Roses in oyle and kepe it. Some
do fylle a glasse wyth Roses & oyle
and they boyle it in a caudron full
of water & this oyle is good, some
stampe freshe roses with oyle and
they put it in a vessel of glasse, and
set it in the sonne x. dayes and this
oyle is good agaynst the chafynge of
the lyuer, if it be anoynted there
with. Also it is good for y^e defea
in the

in the head that cometh of hete, anoynt the forehead and the temple with oyle of roses. The water of Roses hath vertue of comfortynge and constraynyng against the flux of the wombe & vomyte. Also gyue him Rosewater boyled with Mastyke and cloues it is beste against the flux and feblenes of vertue, if it come of a flux by a sharpe medecine. Also rose water is good for the Syncoppe and the Cardie gieue it him to drinke and spzing the water on his face and y water is good for eyes and in oyntmentes for the face, for it taketh away the wemmes and the superfluyte and strayneth not the skynne. Also drye Roses put to the nose to smell do comforte the brayne and the herbe and quenchech the spzyte. Also agaynst the flux of the wombe of coloure gyue hym Roses boyled in rayne water. Also a playster

¶.iii. made

made of roses and the whyte of an
egge and vineger and dyp a sponge
in it and lay it on the mouth of the
stomake agaynste the syncoppe,
gyue him to drynke water that ro-
ses haue ben boyled in, and gyue
hym powder of roses in ree egge to
make oyle of roses, take. ii. li. of oyle
a li. and an halfe of roses & put
all in a glas, and put the glas in a
Cauderon full of water and hange
it therein and boyle it tyl the thyrde
parte be wasted, and after strayne it
thorough a linen cloth and kepe it
for your vse, for this oyle is losyng
& serueth for many thinges. Some
do put rose water in a glas & they
put roses with there dewe ther to,
and they make it to bottle in water,
than they set it in the sonne tyl it
be reed, and this water is best, this
hath vertue of comfortyng and con-
straynyng and for the fluxe of the
wombe, and against the vomyt.

Rosemary.

This herbe is hote and dry take
the flowers and put them in a linen
clothe and so boyle them in fayre
cleue water to the halfe and coole
it, and drynke it for it is mouche
worthe againste all euyls in the
body. Take the flowers and make
powder therof and bynde it to the
ryght arine in a linnen cloth and it
shal make the linge & mery. Also
eate y^e flowers with hony fastynge
with sower bread & ther shal ryse
in the nonne euyl swellynge. Also
take the flowers and put them in a
cheste amonge your clothes, or a-
monge bokes and moughtes, shal
not hurt the, boyle y^e flowers in go-
tes mylke and tha let the stande al
a nyght vnder the ayze fayre coue-
red after y^e gyue him to drinke ther
of that hath the tysyke & it shal de-
lyuer him, boyle the leues in white
wine

wine and washe thy face therwith
thy beard and thy browes & they
shall honoure grow out, and thou
shall haue a fayre face. But the
les vnder thy beddes head & thou
shalbe deliuered of al euil dreames.
Bryke the leaues small to powder
and lay them on a caker and it shal
do it. Take the leues and put them
into a vessel of wyne and it shal
preserue it fro tartnes and euil sa
uour, and yf thou sell that wyne
thou shalt haue good lucke in th
sale. If thou be feble with unkynd
ly swete, take and boyle the leaues
in cleane water and whā the water
is colde, do thereto as muche
bohyte wyne, and thā make therel
soppes & eate wel therof, and thou
shall recouer appetyde. If thou
haue the fluxe boyle the leaues in
stronge Aysell and bynde them in
a linnen clothe and bynde it to th
wombe and anon the fluxe shal
with

with drawe. If thy legges be blowen with the gout, boyle the leues in water, and than take the leaues and bind them in a linnen clothe about thy legges, and it shall do the good. Take the leues and boyle them in stronge Alewell and bynde them in a cloth to thy stomake, and it shall deliuer thee of all euilles, If thou haue the coughe, drinke the water of the leaues boyled in whyte wyne, and it wylle heale thee. Take the rynde of Rosemary and make powder thereof and drynke it for the poise and it shall helpe thee, Take the tumber thereof and brene it to coles and make powder thereof and than put it in a linnen cloth, & rubbe thy teth therewith, and yf ther be any woymes therein it shall sle the & kepe thy teth from euilles. Also make the a boxe of the wod & smelt to it and it shall preserue thy yowth. Also put thereof in thy dores

res

tes or in thy house and thou shalt
be withoute danger of aduers and
other venemous serpentes. Make
the a barell therof and drinke thou
of the drinke that standeth therein
and thou nede not to feare no poys-
on that shall hurt the and yf thou
set it in thy gardyn kepe it honestly
for it is much profytable. Also if a
man haue lost his smellyng of the
nyze, or els he maye not drawe hys
bryeth make fier of the wood & take
his bryeth therwith and geue it him
to eate and he shall be hole.

Ruta.

This is called Rewe, this is
hote and dry in the .ii. Degre, the le-
ues and the sedes be vbled in mede-
cynes & sedes may be kept ten yere
and the leues a yere, he hath vertue
of purgynge, dissoluyng and con-
sumyng, for the head ache take the
toppe of rewe and hete it and put it
into his nozethille for it purgeth

it cleum and clenseth the brayne,
the ioyce soden with wyne is good
for the same. For feblenes of sight
put Rewe in a pot with ale and let
the patient vse to drinke of it. For
poppynge of the splen and lyuer,
the stranguri & the fluxe, seth Rewe
in wyne with rootes of Fenell, or
powder of Rewe, with the ioyce of
Fenell, and drinke it warme. Also
for a ache or fretynge, stampe Rewe
with powder of Comin & plaister
it to the greuaunce. Also agaynste
penyn, drinke the ioyce of Rewe.
For bytynge of venemous beeste or
worme, plaister Rewe to the byt-
tynge. For feblenes of eye sight still
water of Rewe, and roses, toge-
ther and put therof in your eies. Al-
so in opntment for sore eyes, stampe
Rewe and Fenell togyther of yche
lyke muche by weyght and medle
them with hony, and Castore and
it is good opntment for eyes.

Take

Take Rewe, Comyn, and Peper,
of yche like much by weyght, and
grynde them small togyther and
medie them with hony and bene-
ger and it is good for the ach in the
brest and in the raynes.

¶ Hic incipit littera. S. Et
primo de Sinapio.

Sinapium is called mustar-
de, it is hote and drye, in the
medle of the.iii. degre, and not the
herbe, but the fede, is put in mede-
ynes. If yue yeare he maye be kept
in his vertue. He hath vertue lo-
synge, of drawynge, of makynge
thynne, and of consumynge. For the
palsy of the tong take and chewe
the fede in your mouth, and holde
it vnder the tong and it shal do you
good. Also for the Balie in
ther members seth the fede in wine
and laye it to the soze place and

is beste in the begynnyng of the
dyssease. Also take the pouder of it,
and put it into your nose thzilles
and it will make you to nose and it
cleaseth the bzayne and superfluite
hume. Also seth it in wyne and fig-
ges & hold it warme in your mouth
yll it be al most cold than take as
muche and do so. v. or. vi. times a
day as much another day and this
is good for an olde pose of chough
and flumy humour in the head. Al-
so for stopping of the splen and the
pyuer. seth the sede in water with
potes of Fenel, than strayne it and
put therto hony and gyue it to the
sicke to drinke. For hartnes of the
ple seth the herbe of it in wyne and
plaister it to the greuaunce for re-
pente and breke a postume, stampe
this herbe wel with hogges grece
and lay it to the postume. Also for
Strangury take the herbe of this
and

and sethe it in oyle and wyne and
playster it to the greuance, and it
wylt louse it. Also for the Ciatica
and for other olde sores take mu-
starde sede and the thyrde parte of
croones of whete brede, and figges,
hony, and vineger, after as the ach
of the sore requyrez the more of
figges and the hony that is there
the more sharper is the strength of
the sede, and the more bread and vi-
negger that is in it, the more weaker
is the sede, but I say not tye shall
put this confection to all sores but
to great and olde sores. Hys vertu
if he be eaten it sharpeth a mannes
wyte, it clenseth the bely, it breketh
the stone it purgeth the vyne men-
groste, & comforteth the stomake.

℞ Smalage.

Take Smalage sede, Rewe sede,
Peper and salte and grinde them
wel togyther and temper the with
w. m.

woyne and drinke it, for it is good
for colde and wycked humours in
the stomake and comforteth the sto-
make the lyuer and the longes, it
is good for woundes. For ranke-
lynge and to cease the brennyng &
syring, and to bring them to theyr
kynd again. Also it is good to drin-
ke for the feuer tercian.

Salvia.

Sage is hote in the fyrst degre
and dry in the seconde degre the le-
ues onely be taken in medecynes
both grene and dry, he may be kept
a yere, there be two maners of Sa-
ges, the garden and the wilde Sa-
ge, if thou wilt haue Sage in for
medecine take the leues of garden
Sage, for that cōsumeth more and
cōforteth more than the other doth
For the pally, seth the leues of sa-
ge in wine and vse to drinke it. For
the same seth þ leues i wine & pla-
ster it to þ greuaunce, also it is good

to put in sauce, for the stranguer
flux, & the matrice it clenseth, seth
the leues in water & let the patient
set ouer it & receyue þ hote fume of
it and it shall do bym much good.
Also it is good for benym or poy-
son, seth Sage in ale or wine & vse
to drinke it. iiii. Dayes and thou shalt
be holt, by the grace of god. For the
stomake drynke the ioyce of Sage
with water and hony, & it is good
to clense a mannes bodye to vse it
both rype and grene, it wyll make
a mannes bodye clene, therfore who
that vseth to eat of this herbe, or
drynke it, it is meruayle that any
inconuenience shoulde greue them
that vse it, If ye haue anytching
on you, washe it well with þ ioyce
of this herbe & it shall see ytchynge.
Also drinke sage with wyne & a li-
tell woyme wode and it shall cease
the ache vnder the spdes, the wōbe
and the stomake, it is good for the
palsey

palsy and dropſy.

Syrteria.

This is called **Sauerſy**, it is
hote and dry in the .iiii. Degre, ſeth
it in wyne oz water, and drynke it
and it purgeth the raynes, the blad-
der, the menſtruofite in the bowels,
it purgeth the longes, and lo-
ſeth great humours and compel-
leth and putteth hym out by the
mouth by ſpytinge, therfore he is
brennyng and ſpyreth hym that
uſeth lecherſy, therfore it is forbide
to uſe it muche in meates. Soke it
in vyneger oz wyne and drynke it
and it ſhall make the haue a meke
ſtomake. Alſo when it flowereth it
ſhuld be gathered and dried & pow-
der made therof. Alſo take the pow-
der of ſauerſy & boile it wth clarified
hony & uſe to eate therof, oz boile it
in wine, & drynke it, and it wyl loſe
cough & flum in y^e breaſt. Alſo for fre-
tyng in thy bely drynke powder of

3. ii.

it in

it in warme wyne and thou shal be
hole. Also if ye take the lesse sauerp
it hath the same vertue & strength
that the other Sauery hath. Also
make grewell with water and flu-
wer, and powder of Sauery & eate
therof & that shall cleanse al the spi-
ritual members of a man.

Saxfrage.

— This is hote and dry in the. iij.
degre, for the stone, & th the rote of
it in wine and drynke it. Also it is
good for the deseale of the colyke &
the strangury, and the powder of it
be eate with an egge, it is good for
the same. It maye be kepe in his
vertue. iij. yere.

Scabiosa.

Thys is called Scabias, it is
hote and dry in the. iij. degre, to dry
it ther is no profite in it, for scab-
bes take ioyce of it, byneger and
oyle, and boyle them togyther tyll
they were thicke, and kepe it for it

is good for scabbes. For the Eme-
rawdes seth them in water, than
set ouer it and take the flume of it
and vse it & thou shalbe hole, stape
it and seth it wyne & that Drynke,
is good to destroy humours in the
stomake, and Drynke it euery daye
fastyng wyth Eurose & thou shalt
be hole, and thou shalt neuer haue
the pestilence bredyng within the
whyle thou do vse it. For the leuer
stampe it and seth it in wyne and
Drynke it.

Soothernwoode.

This herbe is good for the cou-
ghe and for bytyng in the bely and
in the breste, and for disease in the
bones, and good for the that maye
not wel pykke take the sede of this
herbe and stampe it and Drynke it
with water, & it is good for al the
aforesayde. Also for the diseases in
the syde, stampe thys herbe with
Betayne and Drynke it and it hel-

peeth well. Also for the bytyng of
a serpent & for benym, stampe thys
herb and drinke it with wyne, and
it is good. Also for the colde feuer
stampe this herbe wyth wyne and
drynke it and thou shalt be hole.

Syngrene.

Thys is cold and moyste in the
thyrde degre the ioyce of this herbe
and also the same herbe is ryghte
necessary for many diseases, stam-
pe thys herbe with grece and plai-
ster it to the disease & maruelously
it helpeth. For disease and darke-
nes of eyes, stampe thys herbe and
put of the ioyce in y^e sore eyes. For
chafyng of the liuer take the ioyce
of it and byneger & dyppe a cloth
therin, and plaister it to the gre-
uaunce. For bytyng or scaldyng
make anoyntment of the ioyce of
this herbe and oyle of Roses, and
ware, but lay it not to til after the
thre fyrst dayes, but fyrst anoynt
it with

it with grece and such other. Also
for a Disease of a hote cause this
herbe is good to be layd therto.

Stychemozte.

20 This is called Stychemozte
or birollog this is hote & moyst i
first Degree, & vertu of this herb is,
it is good to hele woundes & soze its

Scamony.

Scamony is hote and drye in
the .iii. Degree & leues onely be beste
in medecines it may be kept a yere
in his vertu or two for nede. For
the disease in the stomake boyle lea-
ues of it in wyne, & drynke it. Also
the aforesaid drynke is good for &
hely, & for the strangury, and flux.
Also after we made with boyleng of
it i water, or wine is good for & for
sayd, if it be boyled in oyle & playe
ster it to & aforesaid, for it is better.

Sene.

21 Sene is hote & drye in the .ii. f.
Degree, it groweth in & other syde &

J.iii.

le

See and most aboute Babylon: the
beste be the floures and the braun-
ches of it, It is good for many de-
seases as the falling euell: for the
Sinacop, for y^e splen, for the Eme-
ravodes, and for the quartayne, sy-
rop made of it boyled in water and
suger, is good for al the aforesayd.
Syrrop made with the ioyce of Bo-
rage is good for the fozsayd. Also
Dioscorides comaundeth to make
Cremel of the aforesayd wyth boyl-
yng of vyneger and honye and it
wyl be good for the aforesayd, and
thys herbe may be kept ten yere.

2d Selondyne.

Thys is hote and dry in the. iiii.
degre, & Galien sayth y^t it is good
for sore eyes, take the ioyce of Selon-
dyne and boyle them wel togyther
in a panne & whā it is cold anoyne
the eyes herwith. Take Selodine
and wyng out the ioyce & medle it
with white wyne and anoyne thy
v: face

biſage therwith & it ſhal do away
frekeles of þe byſage, þe ioyce of ſe-
londine & gores ſog medled to gy-
ther ſmall in a moztar, thā if þe lay
it to a cāker in a womans pappe, it
ſhal ſee the cāker. Also take þe ioyce
of ſelondine & pouder of bzimſtoie
and medle them well togyther & it
wil helpe to do away þe Moꝝphew
And ſeth the rote in wyne, & whan
þe pot is takē downe let hi hold his
mouth open ouer it þe the bzeth may
go into his body, & that ſhal ſee þe
canker in the mouth, it is good for
hym þe hath dzonken venym with
his owne ſtale & that wil ſaue him

For Sauayne.


¶ This is hote and dry in the ſe-
conde degre, it is good to ſee moꝝ-
mes in the wombe & to bring them
out if it be ſoden in wyne & gyuen
to the patient to drinke. It is good
wyth butter or greace to make an
oyntment for þe ſcabbe that reneeth
to hele

to hele it & drye it vp, and it is good
for the head ache, yf it be stamped
and tempered with vineger and
make a plaister therof and laye it
in the temples and vpon the molde
of thy hende.

Scabiose.

This is colde and moyste in the
ii. degre, stampe it and seth it in
wyne and that drynke is good for
the lyuer. And it wyl destroy wyck
ed humours in the stomake, and
drynke it euery day fastyng wyth
Eurose & thou shalt neuer haue po
stume bœdinge within the as long
as thou doest vse thys medecine.

Littera. C. Et primo de Capsu barbasto.

 This is called Molen,
it is colde and drye. It
is good for the Emie
cawdes and it be soden
in wyne and scummed
clene. Also it is good to washe the
greitance

greuaunce therwith, it is good al
so for the flux in the belly.

Towne cresses.

This herbe is hote and drye in
the.iii. degree, the seide wyll endure
good spue yere. It is good to staun-
che the flux & the mencion, yf thou
take the seide and bruse it in a mor-
ter of brase & giue the sike to drink
therof thre dayes euerye day peny
weyght at ons with reed bainc war-
med and in those thre dayes he shal
be staunched, or els he shall dye, of
that euyl, it is good for the pally &
for the male flank, take the seide &
seth it with wine & do it in a pocket
& binde it to the side ther as the gre-
uaunce is. Also it is good for hym
that may not wel pisse, take the side
& seth it i wyne & oyle olyue & bind
it to thi share. It is good for a mā-
nes fundamēt & goeth out, if it be
take of cold, thā it must be put in a
gayne and strawe the pouder on the
fundement

fundament thy rayne wyth Hon
 and than strowe the pouder abo
 with the pouder of Comē oz pol
 der of Calafyne, for al these be h
 ly for it. Also take the stalkes of
 wne Cresses, and brenne them a
 there shall no venemous beaste
 worme abyde the saour nor sme
 therof but he shall dye oz fly abo

Littera. vi. Et primo de
 herba Viole.



Violet is cold in the fir
 degre, and moyst in y^e s
 conde. For blaste in th
 eyes, take y^e rotes of v
 lattes & stape the wyt
 Myrr & Saffron & at nyght lay
 it to y^e sore eyes. Also for wounde
 the head stape y^e leues of Violette
 with hony and byneger, and play
 ster it to the wounde and it shall he
 le it. And for them that may not sle
 pe for sykennes seth thys herbe in
 water and at euē let hym soke we

his

his fete in the water to the ancles,
whan he goeth to bed binde of this
herbe to his temples & he shal slepe
well by þe grace of God. Take vio
lettes Myrre and Saffron, & ma
ke a plaister & laye to the sore eyes
that be swolled and it shall cease
akynge & bate the swelling.

Uua suavis.

Thys is called the swete Ray
sen, it is hote and moist it hath ver
tue of clensyng, scouryng & smo
thynge. Raysens eaten & boyled
in wyne is good for þe cold cough
Sethe them in wyne and they be
good to plaister on the cold postu
me and good for a colde Romake.

Uerwayne.

Uerwayne it hote and dry in the
seconde degre. It is good against
al maner of euyls, of venym if the
pacyent drynke it & tempered with
wyne and stampe the herbe & lay it
on

on euery maner of bytyng of beny-
mous beeste, and it wyl drawe out
the beny n and saue the soze, who
ē bseth it, it wyl make good bzeth
and do alwaye stinke of the mouth.
Also who that hath ē feuer terciā
take .iii. rotes, and thze croppes of
the same herbe and stampe them &
temper thē with fayre cleue water
and gyue it to the patient to drinke
Also who that hath the feuer quar-
taine, let him take the same drinke
Also it is good for the stomake, the
lyuer, & lōges. Also take veruayne
Betayne, & Sarsage & of euerye
of them like muche and stampe thē
with wyne tempered, and thys is
good for them that hath the stone.
Also they that bere veruayne vpon
thē they shall haue loue and grace
of greafe maysters and they shall
graunt him his askynge of his as-
kyng be good and ryghtful.

**Hic incipit littera. M. Et primo
De Watercresses.**

¶ After cresses be hote & dry
in the seconde degre seth
them in water, by them
selfe and drinke it or seth it in flesh
of and sup of the broth, and it wyl
relense well the in warde memberes.
Also it is good against the Stran
gulation and the fyxe of the same.

¶ Wild neppe or woodbynd.

¶ This herbe bereth a flower lyke
to the Pop, and after the flower he
bereth a grene berpe, and it hath a
great rote, the vertue of the herbe
is mooste in the roote, it is good for
winowes that be shronken or cut to
make them sople and to haue their
own course in theyr proper kynde
Go to y^e rot of wylde neppe, that
is lyke woodbynd and make a hole
in the myddes of the rote thā couer
it well agayne that no ayer go out
nor

noz that no rayne go in noz water,
powder noz the some come not to
much to it, let it stāde so a night &
a day, thā after that go to it, & thou
shalt fynd therein a certaine lycoure
take out that licoure with a spon
and put it into a clene glas and do
so euery daye as longe as thou fin-
dest ought in the hole & thys must
be done in the moneth of Aprill or
Maye, than anoynte the soze ther-
with against the fyre, than wete a
lynen cloth in the same licoure and
lappe it about the soze and it shalbe
hole in shorte space, on warantysse
by the grace of God. For the gout
a soueraygne medecyne. Take the
rote of wylde Reppe, and the rote
of þ wylde Docke soden by ic selfe
and cut thē in thyn peces & pare a-
waye the biter rinde and cut thē in
quarters, thā boile thē in clene wa-
ter. ii. or. iii. houres, thā stāpe them
in a moztar as small as can be, thē
put

put therof a quantite of soote of a
chymny, and temper them with
mylke of a colwe, that the herbe is
of one coloure, than take the pylle
of a man that is fasting and make
a playster therof, and boyle it togy
ther and as hote as ye maye suffer
lay it to the greuaunce a day, and
a nyght, and so do nyne tymes, & it
shal heale the on warantyle, by the
grace of God.

wozme wode.

~~&~~ This is hote & dry in the second
degre, it is good for wozmes in the
wombe if it be stamped, & the ioyce
wzonge out & mingled with swete
milke, and gyue to the patiente to
dryncke, & sethe this herbe in wyne
and make a plaister to the wombe,
Make powder of wozm wode, Cen
tozy, Bettayne, of eche lyke, mache
by wayghte and medle al well to
gyther, and the powder wyl flee
wozmes in the wombe both whā

It is

it is

it is eaten in potage and dronken
Also for the mylke that is swolle
of a colde mater, sethe it in wyne
let the sycke drincke therof, and
shal heale hym, & make a playste
of the substance of the herbe & lay
it all hote to thy wombe agaynst
the greuance. Also temper wozme
wode & temper it with bieger and
with roasted sowet breade, ground
therwith, & with the ioyce of Mithridates,
and the ioyce of Plantayne, or
euer ych lyke much, and frye them
wel togither, than make a plaister
& lay it to the mouth of y^e stomack
and this shal staunche brekyng or
castyng. For wozmes in a mannes
eares be it serpēt, or cecowpe, tak
the ioyce of wozme wode & put it in
the eare. Also for the dropsey seth it
in wyne and gyue the sycke to
drinke at moornyng and
euenyng and it shal
helpe hym.

The vertues of Waters Apyled.

Water of Wormewood,
for the stomacke, lyuer
and the spleene, for wor-
mes in the bodye, for the
the Jaundyce, & drunke-
ennes, and for the syght.

Water of Sentoze, for Appetite
for the Lyuer & the milt, wormes,
and Sauriflowme.

Water of Mugwort, for the ma-
strye.

Water of Dytayne, for payson,
Venome and Pestylence.

Water of Fumitory, for the Ho-
phem, Lepzy, Scabbe, Dropsy, ly-
uer, Spleene, Collynes and the
Matrice.

Water of Ysop, for the Cough
Lunges, brest, the stomacke, for the
Hole and the guttes.

R. ii,

Water

Water of Horehound, for y^e Cough,
luniges, brest and colica passio.

Water of Bawme, for the Mo-
ther, the Matryce lyue, and splene

Water of Calamint, Mugwort,
Ylope, Brookmynt, Fumytorye, &
Bawme of eche a lyke muche, and
of Wormwood, a les parte. These
are good waters for the Matrice,
& for the retynnyng the floures.

Water of Calamync, is good for
the stomake.

Water of Plantayne for y^e Flixe
and hote Droopse.

Water of Fenel is good for a swe-
lling, and for sore Eyen.

Water of Endyue for the Droopse,
liuer Jaundice and Stomacke,

Water of Borage, for y^e stomake,
Colica passio, and other sycknes of
the bodye.

Water of Saugle, is good for
the Ballye.

Water of Bytayne, is good for
the

the hearynge and for all maner of
pyckeness in the body, for ryght as
musterd is sauce for most kynd of
meates: so is Bytayne to all other
herbes.

¶ The tyme of gatheryng Seedes
Floures, Herbes and Rootes.

Seedes shoulde be gathered
when they be fully ripe, and
the moystnes therof sothyng dried
awaye.

Floures shoulde be taken when
they begyn to faule or fade.

Herbes shoulde be gathered when
they be full of moystnes, before
they begyn to thynke.

Rootes shold be gathered when
the leaues faule.

Fruites sholde be gathered and
taken at theyr ful greatnes before
they faule, and the heuyer, and the
sadder, that y frutes be: the better
they are. And those that be great &

℞.iii.

light

lyght: be not so good. And they be
better y^e be gathered in faire wether
than they be y^e be gathered in foul
oz Rayne wether.

Herbes that grow in the feeldes
be better than those that growe in
gardynes. And those y^e growe on
hilles be best. And comonly feeld her-
bes be smaller than towne herbes.

Many herbes there be that haue
a speciall time to be gathered in,
whiche tyme, yf they be gathered
they haue theyr vertue in full stren-
gthe, more than they should haue
yf they were gathered in any other
time. Some helpe, whēsoeuer they
be gathered, & some be nought, if
they be not gathered in theyr due
tyme. Bytayne, shal principally
be gathered in August, with y^e see-
des & rotes wth y^e Juice. And it shal
be dried in the shadow, oz in the sonne,
for need. For medicen, it may be
gathered in any time: but euer y^e is
better

better & is gathered, wythout moy
sture, & befoze the Sonne risynge.

Stoyne grasse, may be gathered
when so euer you need.

Camomil, shalbe gathered in april

Perwort, should be gathered in
June, befoze the sonne rylse.

Red Dock, may be gathered whe
needis. Langdebefe shalbe gathe
red in June and July.

Dentwozte, shalbe gathered in the
begynnyng of wynter.

Germander, shalbe gathered in
Lammes Moone.

Dragace, shalbe gathered in Ju
ne and July.

Columbine, shalbe gathered in
Lammes moone.

Adders tongue, shalbe gathered
in April.

Bedelion, shalbe gathered after
the mid day, when ye lyst.

Groundsil, shalbe gathered after
myd day.

Walwoze

Wallowt shalbe gathered when
ye wyl.

Violet shalbe gathered in Mar-
che, and in this moneth shold Su-
ger violet be made and Sirup, al-
so Oyle of Roses, of Camomyl, of
Lillies, and of Chesboll heades, &
is called Poppy. And Rosemary flo-
ures, in Maye.

Centorie when it begynneth to
florish.

Organ in the moneth of June.
Calamint in the moneth of June,
Hartes tounge, in November.

Aristologia rotunda in heruest, &
the other in the same tyme.

Garlycke when ye wil, wild Gar-
lycke when it florisheth.

Agnes Castus, whē it florisheth.

Gourdes in the end of September
or in October, when they be ripe,
they shold be dried in suche a place
that the Sonne may come to them
all the day.

wild

Wylde Rype berpes sholde be gathered when they be yelow.

Cucumers shold be gathered whē the fruite is ripe, & the frute shold be layed vnder Wynges, where as a sonne hath not his ful strenght, vpon it, and in a moyst place that it may rotte, for than shold the sede be good and ful of kernelles.

Citrus shold be gathered when the frut is ripe and it shold be dzed, in a dze place in the sonne.

Water of Calampyt, shold be gathered when it floureth and dzed in the shadow, and it wil be good a yere and no longer.

Saffron, sholde be gathered before the Sonne ryle.

Rodour groweth among Flare, shold be gathered in sommer when it begynneth to floure, and it may be kept thze yere.

Ranke shold be gathered when it floryth and shoulde be dzed in the

the shadowe and wyll last a yere.

Elebor, shold be gathered in her-
nest tyme.

Fenyl, sholde be gathered in the
begynnyng of Heruest, and a yere
it may be kept, and the rotes of fe-
nel, shold be gathered in the begyn-
nyng of the yere, and wyll endure a
yere.

Baldemonye, otherwyse called
Gencyane, should be gathered in
the last ende of the yere, and may
be kept. iii. yeris, the Rootes of it
is vsed. And for to know it: one
is, it is right bitter, for the lesse bit-
ter it is, the wors it is, another is
it is somewhat yelow, & not clean
yelow, but sad.

Galyngeall that is called in Phy-
sycke, Syperus, it maye be gathe-
red in eche time of y yere. The best
time is in the ende of Mere, it must
be layed in. Dayes in the sonne, that
the moisture therof rot it not lytes-
ly, and

ly, and then kepe it in the shadow.

Floure Deluce, shold be gathered
in the end of Mare, and dried in the
sonne, and it wyl last, ii. yere.

Sisalido, is the Roote of Phi-
lipendula, and that serueth to me-
dyce, and shalbe taken out of the
erth, in the ende of Heruest.

Quence leaues serueth more to
medicene then the Rootes, the ver-
tue of it is best, whiles it is greene,
and his vertue is to Dissolue, con-
sume and open.

Take Grapes before they be ri-
pe, and wryng the poyce out of the,
and than drye theym in the son-
ne, and make pouder of them.

That pouder is good to be
vse d in meates for cast-
tyng y^e cometh of Co-
lericke humours
and for the
Fyre.

**A general rule of all maner
of herbes.**



It is a general Rule
that from the eyght: kalen-
des of the moneth of
April: vnto the moneth
of Iulye, all maner
leaves of herbes be best, and from
the. viii. kalendes of Iuly vnto
the. viii. kalendes of October: the
stalkes haue mooste vertue. And
from the. viii. kalendes of Octo-
ber: vnto the viii. kalendes
of April: all maner
of Rootes of Her-
bes be in their
ful strenght



FAIS.

¶ Here begin- neth the table of this boke.

Ignus castus
Spium.

retum.
umeretus.
lentium.
amasa.
odillus.
stologiaon.
stologia rot.
porinum.
neus.
elupa.
erion.
rimonila.
entia.
tea.
natika.
ricula muris
ium em o.
ium canatum
ciplex do.
abula.
us demonis.
gentila.
us mustella.
ium.
ium.

B.

Betonia.
laconinte

Bete.

Bopago.

Bugla.

Burneta

Bursa pastoris.

Borago sylues.

Billyze.

L

Camamilla.

Calaminum.

Crassula maior

Crassula minor

Citura.

Lentauriama.

Lentaurium

Cura

Celidonia.

Culamen.

Colewortes.

Colanorum

Capillus ven.

Cortex.

Lentonoditum

Lapifolium

Canabaria

Costus.

Lepe.

Columbina.

Cominum.

Cardiaca.

Cerata.

Lamelon.
Lauda pull.
Labechis.
Caluus gallica.
Caluus agrestis.
Limbaria.
Consolida maior.
Consolida minor.
Consolida med.

D

Diaptanum.
Diagantia ma.
Dancus arinatus.
Dens leonis.
Dens canis.
Dens creticus.
Diagantia se.

E

Elena campana.
Endua.
Eruca.
Enfracta.
Ebolos.
Edera.
Edera terrestris.
Enophium.
Elleborus albus.
Elleborus niger.
Epatica.
Erpina.
Ephlus minor.

F

Flaminula.
Fumus terre.
Fumicetum.
Frago.

Fabaria maior.
Fabaria minor.
Fic.
Filipendula.
Fimiculum.
Farius.
Fimulus poet.
Fehiluga.
Filago.
Flaminulanium.

G

Gracia die ma.
Granum.
Genestula.
Gencianus.
Galanga.
Granum solis agitar.
Gladiolus.

H

Herba cruciata.
Herba Christoph.
masculi.
Herba Christoph.
feminini.
Herba walteri.
Herba Roberti.
Herba Marci.
Hastuca regia.
Herba Petri.
Herba Johanes.

I

Iulquinus.
Iopius.
Irens.
Iris.
Iutus.

Julia

alia alba
alia nigra.
pia maioꝝ
pia minoꝝ
aceniꝝ ruffi.

L
anifficum.
angustifolium.
lilium.
ligustum
lingua bonis
lingua serpentes ma-
ioꝝ
lingua serpentis mī.
lingua canis
lingua hercina
lupinus
labium veneris
lanendula.
lactuca
lactuca fistulata
lactuca lepo-
lollum.
laparium ruffi.
linum.
lauriola.
licorilla
lappa.

M
Millefolium
Mercurialis,
Menta.

Menta romana
Malua.
Morel oꝝ nyght.
madwe.
Madyke.
Magerum.
Millefolium ma.
oꝝ parowe.
Motherwort oꝝ
Mogwort.
Maces.
Menta rubra.

M.
Mux muscata:
Mopus

O
Olibanum.

P
Piana.
Peper.
Pimpernella.
Pteleum
Peucedanum bell.
Feniculus poꝝ
Peozocitum.
Pericottum.
Pactinaca.
Plantago.
Poxum.
Pipetum.

Papauer

Papaner
Polepodium
Pientum.

Quinque folium

R
Rybwozte.

Reed nettell.

Rose rabea.

Rosemary.

Ruta.

S
Sinapium.

Sinalage.

Salua

Statueia

Saxfrage.

Scabiosa.

Sochernewode.

Syngrene

Syrche wozte

Srainony,

Sene.

Selondine,

Sauapae.

Scabiosa.

T
Caplu barba.

Towne cralles.

T
tolet.

Una suavis.

Ueruaene.

W
Water cresses.

Wylde neppe.

Wormewode.

FINIS.

Imprinted at London by
Thon kynge, for
Thon Walep.

1560



